



HEAVY DEALS

2026



EINFACH VIGOR.

Valid from March 01, 2026 until February 28, 2027 – errors excepted

TecDoc[®]
DATA SUPPLIER




HEAVY26/EN/XX/0

V2846
EAN 4047728028462


Pneumatic hydraulic foot pump

- Convenient and direct operation thanks to pneumatic support and highly sensitive foot pedal
- Pressure gauge shows working pressure
- Robust housing protects high-quality installed components


V2847
EAN 4047728028479

Mechanical hydraulic foot pump

- Stands securely and solidly on its feet
- Robust steel body
- Foot-operated – no pneumatic connection required and thus flexible and mobile in use
- Ideal for mobile use



VIGOR No.

Designation

EAN
4047728+

V3120

2.2 m hydraulic hose 1/4"

031202
V3120-3/3
EAN 4047728091541

Extension hose for hydraulic pump, including CEJN adapter

- To extend the hose to the Vigor hydraulic pumps V2846 and V2847. This makes it possible to work on machines/vehicles that have a taller overall height.


New


	VIGOR No.	Designation	EAN 4047728+
①	V3120-3	3 m hydraulic hose 1/4"	091336
②	V3141	(CEJN) quick coupler connection	031417
③	V3128	(CEJN-) nipple hydraulic 1/4"	031288


V2800-OEL
EAN 4047728081276


Hydraulic oil "Power"

- Hydraulic oil, Power 32 HVLP, is a hydraulic oil with high viscosity index (VI), especially for hydraulic systems in mobile equipment and outdoor use
- Meets the following specifications and requirements: DIN 51524 Part 2 HLP, HVLP, -ISO 11158HV - AFNOR NFE 48-603
- Specially suitable for all hydraulic cylinders and pumps
- Pumps: V2846, V2847
- Hydraulic cylinders: V2873, V2869, V4551, V2854, V2874, V4229, V5916, V5916-XL, V8321



V5912EAN 4047728**059374****Universal puller for steering arm**

- Adjustable puller with universal application, for loosening almost all spherical joint bearings and steering arms
- To be used in combination with an 18- or 22-tonne hydraulic cylinder V4551 or V2854
- The wedge-shaped press feet allow optimum access for separating components
- Time saving and risk minimisation through direct application on the vehicle

8.5t/14t /
18t/22t


9



VIGOR No.	Designation	EAN 4047728+
V5912-1	Pressure foot, 2 pieces	059381
V5904-3	Sliding plate	059138
V5904-4	Screw · M14 x 2 – 45 · inside hexagon	059145

V5916-XLEAN 4047728**066471****Ball joint ejector**

- Hydraulic removal of ball joint pivots on steering tie rods and stabilisers, or on steering and brake levers for trucks and buses, with a maximum compressive force of 8.8 tonnes
- Pressing out and pressing in of wheel bolts possible

8.8t


SUV
Van

8.8t
Press force


3

**V5918**EAN 4047728**090636****Yoke end expansion ·
Jaw width 34 – 37 mm**

- Ball joints on heavy electric vehicles, hybrid vehicles, and SUVs have smaller dimensions than in commercial vehicles
- The yoke end with the jaw dimensions of 34 – 37 mm also facilitates the use of the V5916-XL for these larger vehicles

New


V8663
EAN 4047728086639

Commercial vehicle ball joint puller for tight installation spaces

- Compact puller for removing ball joints in tight installation spaces, e.g. on **SCANIA** Next Generation trucks



*Enables quick removal without
time-consuming removal of surrounding parts!*





VIGOR No.	XX	Designation	EAN 4047728+
V8664	4	Expansion set ball joint puller for 8.5-tonne cylinder V2873 (cylinder not included in the set)	086646

V2937
EAN 4047728029377


Brake adjuster puller

- Pressing out rusted camshafts of brake adjusters
- Suitable for almost all common lever arms, also Haldex and BPW
- Very compact design guarantees flexible use in areas with restricted access


V2920
EAN 4047728029209


Ball joint puller · universal

- For removing the ball joint pivots from steering arms on vans, trucks and buses
- Slim construction – for **MERCEDES-BENZ** Sprinter and **FORD** Transit ball joints
- V2873 Tractive and compressive hydraulic cylinder 8.5 tonnes, available separately



Cylinder not
included in
delivery

V2873




*Impact function to multiply the
pressing force up to
25.5 tonnes of compressive force!*


V2873
EAN 4047728028738
Tractive and compressive hydraulic cylinder 8.5 tonnes

- Pressing out supporting joints and bushings
- For operation in areas with restricted access
- Thrust rod, adjustable


Impact function to multiply the pressing force up to 25.5 tonnes of compressive force!


V3678
EAN 4047728036788
Brake disc removal (floating) · Volvo · RENAULT · DAF


- Removal of floating brake discs
- Removal of the brake disc by alternately pressing the cylinders
- Two special cylinders and two-way control valves for alternate pressing
- Brake disc removal in just a few minutes



VIGOR No.	Designation	EAN
V3678-1	Coupling set expansion · 4 pieces	4047728+ 087124

V5907
EAN 4047728059206
Spare cylinder 14 tonnes

V2869
EAN 4047728028691
Compressive hydraulic cylinder 14 tonnes

- Pressing out supporting joints and bushings
- Especially for use with the press frames V2885 and V2858N




V4551

EAN 4047728045513

Tractive and compressive hydraulic cylinder 18 tonnes


- Pressing out rusted drive shafts
- Pressure of the hydraulic cylinder may be combined with impact force when using an impact body
- To be used with all passenger car tools and drawbars M10 – M22 with an appropriate reduction



**Extra light:
Only 2.8 kg**



**Impact function to multiply
the pressing force up to
63 tonnes of compressive force!**




10

V2854


EAN 4047728028547

Tractive and compressive hydraulic cylinder 22 tonnes

- Pressing out rusted drive shafts
- Pressure of the hydraulic cylinder may be combined with impact force when using an impact body
- To be used with all passenger car tools and drawbars M10 – M22 with an appropriate reduction



**Impact function to multiply the
pressing force up to
77 tonnes of compressive force!**





10

V2874


EAN 4047728028745

Tractive and compressive hydraulic cylinder 32 tonnes

- Pressing out rusted drive shafts and king pins
- Pressure of the hydraulic cylinder may be combined with impact force when using an impact body
- To be used with all passenger car tools and drawbars M10 – M22 with an appropriate reduction
- The stroke makes it particularly suitable for replacing axle bushings



**Impact function to multiply the
pressing force up to
112 tonnes of compressive force!**



8



V4229

EAN 4047728**042291**
Tractive and compressive hydraulic cylinder 45 tonnes

- Pressing out rusted drive shafts, steering knuckles and fixing bolts
- Pressure of the hydraulic cylinder may be combined with impact force when using an impact body



Impact function to multiply the pressing force up to 157 tonnes of compressive force!




V8321

EAN 4047728**083218**
Compressive hydraulic cylinder 70 tonnes

- 70-tonne hydraulic cylinder for commercial vehicle repair workshops
- Mainly for wheel hub removal tools V4554, V4555 and V4500
- Combination with pressing pieces V8323 and V8316
- Weight: 17 kg, stroke: 70 mm
- Automatic piston return function
- In combination with V8667, also suitable for pressing out fixing bolts and king pins



Impact function to multiply the pressing force up to 245 tonnes of compressive force!


2
V8323


EAN 4047728**083232**
Pressing piece 30 mm

- 30 mm pressing adapter for pressing out wheel hubs or steering knuckles, for example
- Only to be used together with cylinder V8321


V8316

EAN 4047728**083164**
Pressing piece 200 mm

- 200 mm pressing adapter for pressing out wheel hubs or steering knuckles, for example
- Only to be used together with the 70-tonne hydraulic cylinder V8321



V4566
EAN 4047728045667

Universal press frame for king pins and fixing bolts · Commercial vehicles 45 tonnes

- For almost all common king pins, also for tapered models
- Unique impact function enables removal with hammer strokes on the cylinder (with mounted impact body) in direction of actuation
- Very effective impact function transmits the vibrations required for successful removal to the material
- Removal of the axle is not necessary
- 45 tonne-version
- Easy to use, also suitable for buses, where access is often restricted
- Also suitable for pressing out and pressing in fixing bolts on agricultural, construction and forestry machinery



VIGOR No.	Designation	Length mm	EAN 4047728+
V4550	Press frame	–	045506
V3266	Pressure pipe	130	032667
V4564	Pressure pipe	85	045643
V3267	Pressure pipe	42	032674
V4634	Pressure pipe	–	046343
V4562	Pressure sleeve	–	045629
V4563	Adapter plate	–	045636
V4546	Thrust rod · M30 · Ø 38 mm	140	045469
V4545	Thrust rod · M30 · Ø 38 mm	30	045452
V4549	Extension · Ø 38 mm	100	045490
V4548	Extension · Ø 38 mm	70	045483
V4547	Extension · Ø 38 mm	50	045476
V4570-500	Bar	500	090124
V4556	Plate with thread		045568




V8318

EAN 4047728**083188**

Bolt press set

For removal and installation of master pins on chain links


- The mounting plate allows work to be carried out alone
- Mobile and flexible, both in the workshop and in field service
- Internal dimensions of the adapters: Ø 35 mm, Ø 39 mm, Ø 45.4 mm, Ø 48.2 mm
- Only to be used in combination with 45-tonne hydraulic cylinder V4229
- Optimum extension of king pin removal set V4565 and V4566
- Pressure pieces included in the set
- Length of the threaded support rods: 383 mm and 557 mm


24

V8318-1N

EAN 4047728**091411**

Expansion set for bolt press set


28

V8324


EAN 4047728**083249**

Universal press frame for extraction and insertion of fixing bolts, bushings and bearings

- Extra wide press frame for crane trucks, excavator arms or chain links
- Suitable for crane trucks and container side loaders
- To be used with 32-tonne cylinder (V2874) or 45-tonne cylinder (V4229)
- Expandable with pressure sleeve set V5914



Cylinder not included in delivery



4


V8667

EAN 4047728086677

Universal press frame for king pins and fixing bolts · Commercial vehicles 70 tonnes

- For almost all common king pins, also for tapered models
- Unique impact function enables removal with hammer strokes on the cylinder (with mounted impact body) in direction of actuation
- Very effective impact function transmits the vibrations required for successful removal to the material
- Removal of the axle is not necessary
- 70-tonne version
- Easy to use, also suitable for buses, where access is often restricted
- Also suitable for pressing out and pressing in fixing bolts on agricultural, construction and forestry machinery
- Strut length: 515 mm



23



V8666

EAN 4047728086660

Expansion set for universal press frame for king pins and fixing bolts · Commercial vehicles 70 tonnes

- Expansion set for 70-tonne cylinders for the universal press frames for 32-tonne and 45-tonne cylinders (V4565 and V4566)
- Strut length: 515 mm, only to be used together with plates V4556 (2x)



Enables the use of the 70-tonne compressive cylinder



21



V4604EAN 4047728**046046****Pressure tool set 45 tonnes · universal**

- Quick changing of tapered and cylindrical king pins, drawbar bolts as well as large circlips
- Contents:
 - Removal tools for ball joints, brake adjuster, VBG-drawbar bolts
 - Tools for removing wheel hubs
 - 8.8-tonne and 45-tonne hydraulic cylinder with spindle and impact body
 - Ball joint puller V5916-XL for removing ball joints and replacing wheel bolts



**For the challenges of
king pins, wheel hubs, joints
and circlips - all in one!**



V8721

EAN 4047728087216

Pressure tool set 70 tonnes · universal

- Quick changing of tapered and cylindrical king pins, fixing bolts of hydraulic cylinders and drawbar bolts, as well as large circlips
- Contents:
 - Removal tools for ball joints, brake adjuster, V&G drawbar bolts
 - Tools for pressing out wheel hubs, king pins and fixing bolts
 - 8.8-tonne and 70-tonne hydraulic cylinder with pressure pieces and impact body
 - Tool for removing and installing circlips



V2858N


EAN 4047728075268

Press frame

- Suitable for vehicle-specific and universal applications
- Ideal for pressing out and pressing in bolts, bearings and supporting joints
- Pressing force maximum 18 tonnes



*For tractors,
forklifts, etc.*



8.5t/14t /
18t

V5066S

EAN 4047728091015

Pressure sleeve set · short

- Pressure sleeves with an optimised height and diameter for the passenger car and transport vehicle sector can be used on both sides
- Pressure sleeve set, optimised for press frame V2858N
- Set contains diameters of 34 mm to 79 mm and heights of 46 mm to 58 mm

**New**

13

V8669

EAN 4047728086691

Extension set for bolts on rear hydraulics FENDT & MASSEY FERGUSON

- Extension set based on press frame V2858N and the 18-tonne (V4551) or 22-tonne (V2854) hydraulic cylinder for releasing the fixing bolt on the lifting hydraulics at the rear of **FENDT** models of the 500 SCR; 500 S4; 500 Gen3; 700 S4; 700 Gen6 series on which the cone mandrel (743870200110) is installed, as well as on **MASSEY FERGUSON** models of the series: MF 6700S - MF 6S - MF 7700 (S) - MF 7S - MF 8S
- Press frame and hydraulic cylinder not included
- If necessary, the bolt can also be pulled with the traction side of the cylinder in combination with the threaded rod V3220 and the threaded adapter V3219 (both not included in the set) with a maximum of 9 tonnes

18t/22t



*Enables a fast removal
of the fixing bolt
without damage!*



V4635

EAN 4047728**046350**

Spring bushing set · universal

- Allows changing of spring bushings without unnecessary disassembly
- Including tool parts for replacing the joint spring bushing
- For bushings size 44 to 63 mm
- Easy removal, even of rusted bushings, due to impact function



9



V4605

EAN 4047728**046053**

King pin removal expansion set for MERCEDES-BENZ Actros and Atego

- Expansion set for the items V4565 and V4566
- System allows extraction and insertion of king pins to be carried out directly on the vehicle



6



V4606

EAN 4047728**046060**

Steering knuckle removal expansion set MAN TGA · TGS and TGS

- Expansion set for the items V4565 and V4566
- System allows extraction and insertion of king pins to be carried out directly on the vehicle



5



V3750

EAN 4047728037501

Wheel hub extractor for low-height trailers

- Removal of 225 mm wheel hub with 10 screws
- Extractor enables loosening of hubs with bearing unit on straight shafts
- Recommended for use with 32 tonnes hydraulic cylinder V2874 (not included)
- Sturdy construction enables pressure up to 45 / 70 tonnes and hammer stroke in direction of actuation



**Can also be used
with 70 tonnes!**



**Article approved
for impact
function!**

**15****V4500**

EAN 4047728045001

Wheel hub puller for commercial vehicles · 45 tonnes

- Removal of rusted bearings with outside wheel hubs from straight shafts
- For: **Volvo** FL · TGS · TGX · **MERCEDES-BENZ** Atego · Actros · **RENAULT** Kerax · Magnum · Midlum · Premium
- Can also be used for vehicles with identical construction
- 45- / 70-tonne version




**Can also be used
with 70 tonnes!**

**Also fits with
Schmitz CargoBull**

M30 thread



**Article approved
for impact
function!**

**3****V4555**

EAN 4047728045551

Wheel hub puller set for trucks · buses and trailers 45 tonnes


- Wheel hubs of trucks with 8 bolts, 275 mm, or 10 bolts, 335 mm
- Removing wheel hubs with compact bearings e.g. on **SAF** axles
- Sturdy construction facilitates the full power of 45 / 70 tonnes together with impact force when removing the wheel hub



**Article approved
for impact
function!**



**Also suitable for
70 tonnes!**

**12**

V5914
EAN 4047728059503


Universal pressure sleeve set with fixing unit

- The selection of diameters of the pressure pipes and press plates makes this set very versatile for commercial vehicles, either directly on the vehicle or on the workshop press
- The mounting plate included enables the pressure pipes to be fixed to the press block. Work is made easier as fewer parts have to be positioned by hand.
- The set can be supplemented with V5913 to create a complete solution for slotted bushings
- Adapters for cylinders V2874 or V4229 are included in the set
- Hydraulic cylinder required



Supplied in Multibox V4700-XLI

Installation situation of a slotted and tensioned bushing. V5913 or V5913/6 are required for the installation of slotted bushings.


19

	VIGOR No.	Designation	Ø A mm	Ø B mm	Ø C mm	Length mm	EAN 4047728+
①	V5914-1	Adapter 30 mm	–	–	–	–	059510
②	V5914-2	Adapter 86 mm	–	–	–	–	059527
③	V5914-3	Cylinder adapter	–	–	–	–	059534
④	V5914-4	Fixing plate	–	–	–	–	059541
⑤	V5914-11	Pressure sleeve	64.5	52.5	51.2	32	059558
⑥	V5914-12	Pressure sleeve	69.5	57.5	56.2	32	059565
⑦	V5914-13	Pressure sleeve	74.5	62.5	61.2	32	059572
⑧	V5914-14	Pressure sleeve	79.5	67.5	66.2	32	059589
⑨	V5914-15	Pressure sleeve	84.5	72.5	71.2	32	059596
⑩	V5914-16	Pressure sleeve	89.5	77.5	72.2	32	059602
⑪	V5914-17	Pressure sleeve	93.5	81.5	76.7	32	059619
⑫	V5914-21	Pressure pipe	64.5	62	52	100	059626
⑬	V5914-22	Pressure pipe	69.5	67	57	100	059633
⑭	V5914-23	Pressure pipe	74.5	72	62	100	059640
⑮	V5914-24	Pressure pipe	79.5	77	67	100	059657
⑯	V5914-25	Pressure pipe	84.5	82	72	100	059664
⑰	V5914-26	Pressure pipe	89.5	87	73	100	059671
⑱	V5914-27	Pressure pipe	93.5	91.5	88.5	100	059688
⑲	V5914-28	Pressure pipe	110	107	96	100	059695



V5913EAN 4047728**059398****Basic set for slotted bushings**


- Set for universal extraction and insertion of slotted bushings
- Slotted silent blocks must be installed in the beam under pretension
- Using a vice or a hydraulic unit in combination with the included clamping device, the bushing is tensioned before installation
- Thanks to the locking pin, no constant pressure needs to be exerted on the clamping device
- Pressure sleeve set V5914 or V5066 is required for extraction and insertion of the bushing
- The set includes shells for bushings with diameters of: 65, 70, 75, 80, 85 and 95 mm
- Recommended for use with 32 tonne hydraulic cylinder V2874 (not included)



VIGOR No.	Designation	EAN 4047728+
V5913-1	Clamping piece 95 mm	059404
V5913-4	Bolt	059435
V5913-65	Adapter Ø 65 mm, 2-piece	059459
V5913-70	Adapter Ø 70 mm, 2-piece	059466
V5913-75	Adapter Ø 75 mm, 2-piece	059473
V5913-80	Adapter Ø 80 mm, 2-piece	059480
V5913-85	Adapter Ø 85 mm, 2-piece	059497



Set is supplied in Multibox V4700-XL!



**V5913/6**EAN 4047728**083263****Expansion set for slotted bushings**

- To be used in combination with main set V5913
- Set includes shells for slotted bushings with diameters of: 50, 56, 58, 60, 63, 68 mm
- Recommended for use with 32 tonne hydraulic cylinder V2874 (not included)



VIGOR No.	Designation	EAN 4047728+
V5913-50	Adapter Ø 50 mm, 2-piece	087070
V5913-56	Adapter Ø 56 mm, 2-piece	087087
V5913-58	Adapter Ø 58 mm, 2-piece	087056
V5913-60	Adapter Ø 60 mm, 2-piece	087063
V5913-63	Adapter Ø 63 mm, 2-piece	087049
V5913-68	Adapter Ø 68 mm, 2-piece	087094



Set is supplied in Multibox V4700-XL!

**V2942**EAN 4047728**029421****Bushing set for drawbars**


- Change bushings with a 32 tonne hydraulic cylinder V2874 (not included) with impact function directly on the drawbar
- For universal use, especially for VBG bushings and drawbars
- Change bushings without heating or other treatment



V5169
EAN 4047728051699

Pressure sleeve set

- Including multibox V4700-L
- Including 24 pressure pieces of different sizes
- Sleeves with small diameters are reversible
- Adapter and pressure shaft enable application of the press frame V2885 – useful when removing or installing bushings and supporting joints without holes
- Larger sleeves for **BMW E 38 / E 39** and **MERCEDES-BENZ E- / S-class**, among others
- Set can be mounted on the wall due to the secure fit of the sleeves in foam



Supplied in soft foam insert!



VIGOR No.	Designation	Ø A mm	Ø B mm	Ø C mm	EAN 4047728+
V2947	Pressure sleeve	40.7	42.5	35.2	029476
V2948	Pressure sleeve	43.7	45.5	38.2	029483
V2949	Pressure sleeve	46.7	48.5	41.2	029490
V2950	Pressure sleeve	49.7	51.5	44.2	029506
V2961	Pressure sleeve	52.7	54.5	47.2	029612
V2962	Pressure sleeve	55.7	57.5	50.2	029629
V2963	Pressure sleeve	58.7	60.5	53.2	029636
V2964	Pressure sleeve	61.7	63.5	56.2	029643
V2965	Pressure sleeve	65.7	67.5	60.2	029650
V2966	Pressure sleeve	69.7	71.5	64.2	029667
V2967	Pressure pipe	38.7	44.7	30.5	029674
V2968	Pressure pipe	41.7	44.7	34.0	029681
V2969	Pressure pipe	44.7	44.7	37.2	029698
V2971	Pressure pipe	44.7	55.0	40.2	029711
V2972	Pressure pipe	50.7	55.0	43.2	029728
V2973	Pressure pipe	53.7	55.0	46.2	029735
V2974	Pressure pipe	56.7	55.0	49.2	029742

VIGOR No.	Designation	Ø A mm	Ø B mm	Ø C mm	EAN 4047728+
V2975	Pressure pipe	59.7	70.0	52.2	029759
V2976	Pressure pipe	62.7	70.0	55.2	029766
V2977	Pressure pipe	65.7	70.0	58.2	029773
V2978	Pressure pipe	68.8	70.0	61.2	029780
V2979	Pressure pipe	71.7	70.0	64.2	029797
V2980	Pressure pipe	75.7	75.7	68.2	029803
V2981	Pressure pipe	79.7	79.7	72.2	029810
V2945	Adapter plate for V2868	–	–	–	029452
V2946	Thrust rod adjustable · 90 mm for V2868	–	–	–	029469



INDIVIDUAL STRUTS


More variability for the commercial vehicle press frame

- Makes it possible to lengthen/shorten the commercial vehicle press frame for 32 tonne and 45 tonne cylinders
- Using the V3263-1 threaded connector makes it possible to connect the struts to each other


V3263-1
EAN 4047728091299

Threaded connector

- For connecting the press frame struts
- Length 62 mm
- For connecting a maximum of 3 struts
- 2 pieces are required per extension stage
- A maximum of 3 extension stages are possible

New


	VIGOR No.	Length mm	EAN 4047728+
①	V4570	595	045704
②	V4570-390	500	090117
③	V4570-500	390	090124

V8322
EAN 4047728083225

Wheel and rim puller for trucks

- Rim puller for efficient and safe removal of stuck wheels/rims
- Quick and effortless removal in just a few minutes
- Three receiving adapters for pressure sleeves in a set for truck, bus and trailer rims: 22.5", 19.5", 17.5"
- Application with an impact wrench, alternating pressure on screw connections
- Four rim hooks fit into most rim ventilation holes
- Saves time and effort, an essential investment for workshops that encounter stuck wheels
- Traditional methods are tedious, dangerous and reduce workshop productivity

The rim is loosened in just a few minutes

1. Install the bolt ring
2. Install the mounting rod
3. Install the hook and chain
4. Use an impact wrench to pull the rim off the hub



Hydraulic lifting tool for trucks

- Lifting aid with high loading capacity (450 kg), which makes lifting heavy loads superfluous. The design offers maximum access and flexibility for ergonomically correct work on trucks, trailers and buses.
- Lifting heavy loads in combination with an incorrect working posture poses a major risk to the working environment and the health of the mechanic. The flexible lifting arm for the press frame provides excellent access when replacing the king pin on the steering knuckle.
- Wheel hub removal is effortless, the powerful hydraulic cylinders (45-tonne V4229 and 70-tonne V8321) are fixed in the supplied tool holder. Wheel hubs with brake discs or brake drums, wheel hubs with dual tyres in combination with brake drums are raised and lowered onto the vehicle without any manual force.
- Thanks to the four large swivel castors, the lifting aid is easy to move and manoeuvre, even with a maximum load of 450 kg. If required, the front wheels can be locked in the straight-ahead position.
- When replacing the king pin etc., the hydraulic pump supplied can be easily removed from the lift truck so that it can be used on the ground. Both practical handles on the rear wheels are very helpful during installation of the hub onto the wheel axle.
- CE-marked product for maximum safety
- ISO 45001 Occupational health and safety management standard in the EU
- The lifting aid can be supplemented with accessories such as a universal device for removing brake callipers and a holder for the press frame when replacing bushes
- Adjustable in height using the hydraulics. Also variable in the basic position via rectangular perforation.
- Includes brake calliper holding device and extension bolt to disassemble upstream hubs





Extensive accessories included




Press cylinder holding device



Stud bolt extension for hubs



Holding device for brake calliper



V7084
EAN 4047728091404

Drawer 1

- V4229 Tractive and compressive hydraulic cylinder · 45 tonnes · 7 pieces
- V2874 Tractive and compressive hydraulic cylinder · 32 tonnes · 8 pieces
- V5916-XL Ball joint ejector · hydraulic 8.8 tonnes
- V3222 Pressure foot · 2 pieces

V4229

V2874

V5916-XL

V3222


100

tools including
work bench

Drawer 2

- V5914 Universal pressure sleeve set with fixing unit · 19 pieces
- V4551 Tractive and compressive hydraulic cylinder · 18 tonnes · 10 pieces
- V2873 Tractive and compressive hydraulic cylinder · 8.5 tonnes · 4 pieces
- V2920 Ball joint puller · universal
- V2937 Brake adjuster puller
- V5912 Universal puller for steering arm

V5914

V2873

V5912

V2937

V2920

V4551


Drawer 3

- V5913 Basic set · slotted bushings · 7 pieces
- V5913/6 Expansion set · slotted bushings · 6 pieces
- V4500 Wheel hub puller · commercial vehicles · 45 tonnes
- V2867N Circlip tool

V5913



8.5t/8.8t/18t/
32t/45t



New



V4500



V5913/6



V2867N



Drawer 4

King pin removal set · 45 tonnes · universal · 12 pieces

- For almost all common king pins, also for tapered models
- Unique impact function enables removal with hammer strokes on the cylinder (with mounted impact body) in direction of actuation
- Very effective impact function transmits the vibrations required for successful removal to the material
- Removal of the axle is not necessary
- Easy to use, also suitable for buses, where access is often restricted

V4566



VIGOR No.		Designation	EAN 4047728+
V7084	100	Work bench with wooden worktop and tools	091404
V4814N	–	Work bench with wooden worktop, empty	089890

V7082

EAN 4047728091534


Drawer 1 • flat

- Single struts: V4570, V4570-390 and V4570-500
- V3263-1 Threaded connector

2x V4570

2x V4570-390

2x V4570-500

4x V3263-1


99

 tools including
work bench

Drawer 2

- V4229 Tractive and compressive hydraulic cylinder · 45 tonnes · 7 pieces
- V2874 Tractive and compressive hydraulic cylinder · 32 tonnes · 8 pieces
- V5916-XL Ball joint ejector · hydraulic 8.8 tonnes

V4229

V2874

V5916-XL


Drawer 3

- V5914 Universal pressure sleeve set with fixing unit · 19 pieces
- V4551 Tractive and compressive hydraulic cylinder · 18 tonnes · 10 pieces
- V2873 Tractive and compressive hydraulic cylinder · 8.5 tonnes · 4 pieces
- V2920 Ball joint puller · universal
- V2937 Brake adjuster puller
- V5912 Universal puller for steering arm

V5914

V2937

V2920

V2873

V5912

V4551


Drawer 4

- V8318-1N Expansion set for bolt press set · 28 pieces
- V2867N Circlip tool

8.5t/8.8t/18t/
32t/45t



New



V8318-1N



V2867N



Drawer 5

**King pin removal set ·
45 tonnes · universal · 12 pieces**

- For almost all common king pins, also for tapered models
- Unique impact function enables removal with hammer strokes on the cylinder (with mounted impact body) in direction of actuation
- Very effective impact function transmits the vibrations required for successful removal to the material
- Removal of the axle is not necessary
- Easy to use, also suitable for buses, where access is often restricted
- Suitable for pressing in and pressing out fixing bolts on agricultural, construction and forestry machinery



V4566



VIGOR No.	XX	Designation	EAN 4047728+
V7082	99	Work bench with wooden worktop and tools	091534

V11000-BOLZEN

EAN 4047728091558

Set 1

Set 1: starter set for fixing bolts

- Extraction and insertion of king pins (trucks)
- Extraction and insertion of fixing bolts on a wide range of agricultural, construction and forestry machinery
- **Consisting of:**
 - Hydraulic pump
 - Tractive and compressive hydraulic cylinder, 45 tonnes
 - Universal press frame for commercial vehicles, 45 tonnes, for king pins and fixing bolts
 - Universal pressure sleeve set with fixing unit



Delivery in practical
XXL case!

V4700-NKW

EAN 4047728088657



39



V12000-KETTE

EAN 4047728091565

Set 2

Set 2: Starter set of chain pins

- Extraction and insertion of chain pins on metal chains (excavators, crawler-mounted vehicles)
- **Consisting of:**
 - Hydraulic pump
 - Tractive and compressive hydraulic cylinder, 45 tonnes
 - Chain pin set



Delivery in practical
XXL case!

V4700-NKW

EAN 4047728088657



32



V7133

EAN 4047728**071338**


Compact wheel bearing removal / installation set

- Including multibox
- Operating all compact wheel bearings from Smart to the Sprinter
- Utilised assembly unit V4491 ensures professional installation of the second generation compact wheel bearing
- Contents: Special unit for installing the closed wheel bearing and a universal set for all other compact wheel bearing diameters
- Cost and time savings by eliminating the need to install a new steering knuckle, the subsequent axle alignment and the associated additional work
- Including two V4700-L multiboxes
- Special set for installing the wheel bearing closed at the wheel hub for the following vehicles, among others:
MERCEDES-BENZ V-Class model year 2014 → · Viano model year 2003 → · Vito box model year 2014 → · Sprinter model year 2008 →
- **VOLKSWAGEN** Crafter model year. 2011 →
- Cylinder not included in delivery



» For single parts list,
see **VIGOR**
main catalogue
page 342

2x



VIGOR No.	Designation	EAN 4047728+
V7133-3.5	Expansion to V7133N for removal / installation of the wheel bearings of Sprinter models over 3.5 tonnes	090971

35



V5920

EAN 4047728**090629**

Removal / installation set · Supporting joint for Transit models from 2014

- Special set for efficient removal / installation of the pressed-in and additionally screwed-in supporting joints of **FORD** Transit models from model year 2014



New



9



V7276-2

 EAN 4047728**072908**

Mobile work bench with van / SUV specialty tool assortment and hydraulic foot pump


V7265


Ball joint ejector, hydraulic 8.8 t

- For the hydraulic removal of the ball joint pivots on steering tie rods as well as stabilisers, or on steering and brake levers for trucks and buses, with a maximum compressive force of 8.8 t
- Height adjustment 81 and 113 mm as well as adjustable diameter to 42 and 56 mm
- The design optimises access to hard-to-reach areas



Tractive and compressive hydraulic cylinder 32 t

- Pressure of the hydraulic cylinder may be combined with impact force when using an impact body
- With the correct adapter, drawbars of M 10 to M 22 can be used


V5058

Tractive and compressive hydraulic cylinder 22 t

- With automatic piston return
- Pressure of the hydraulic cylinder may be combined with impact force when using an impact body. Application: e.g. for removing rusted drive shafts

Including: V2846 Hydraulic pump · pneumatic

- Design including manometer
- For all hydraulic cylinders
- Working pressure: 700 bar
- Hose length: 2.2 m
- Oil tank: 1.3 l
- Non-drip quick coupling




700 bar



1.3 l



2.2 m



Can also be used to store the pump.


V7261


Wheel bearing unit · screwed · removal tool set · universal

- For removing screwed wheel bearings with 3-4 bolts
- SUV / VAN wheel hubs with 6 and 8 stud bolts to 180 mm diameter can be removed via the adjustable crossbar
- For among others: **DODGE · CHEVROLET / GMC · FORD** Ranger model year 2011 →

Scrapers

- Removing rust from the outer edge of the brake discs as well as from the brake calliper lining
- For cleaning the contact surface of the counter plate on among others **VOLKSWAGEN T5 / T6**



Circlip tool

- Facilitates the removal of frequently rusted circlips on the inside of wheel bearings
- Maximum force and fast removal due to adjusting screw with recesses for a 6.3 mm ratchet
- Clamping range: 5 – 95 mm
- Includes 2 tips each: Ø 2.5 mm / Ø 3.0 mm / Ø 3.5 mm



Drive shaft removing device, 6- and 8-hole

- For removing rusted and glued drive shafts directly on the vehicle
- For bolt circle (6 hole) 114–140 mm, (8 hole) 165 to 180 mm
- Removal of drive shaft with 22 t hydraulic cylinder (installation of the impact body enables use of additional force by using a hammer)


V7263

Expansion set for wheel bearings on IVECO Daily

- The front wheel bearing can be pressed out using the 32 t hydraulic cylinder **V2874** while installed
- Alternatively, the set can also be used under the workshop press when removed





V7270



Expansion set for wheel bearing of van rear axle

- Extension kit for changing rear axle wheel bearings in the following vehicles among others: **CITROËN** Jumper, **FIAT** Ducato, **PEUGEOT** Boxer, **FORD** Transit
- Removal of the drive shaft possible using the 5-hole drive shaft tool (bolt circle 119 - 172 mm)
- Items **V2881** and **V2882** are required for individually replacing rear axle wheel bearings. These are included in the starter set for van front axle wheel bearings
- The 32 t hydraulic cylinder **V2874** is required for use



V7273



Starter set for wheel bearing of van front axle

- Allows the wheel bearings to be changed directly on the vehicle with minimum effort using the 32 t hydraulic cylinder **V2874**
- Replacement of the front axle wheel bearing on the following models:
CITROËN Jumper
FIAT Ducato
PEUGEOT Boxer from 2007
RENAULT Master
NISSAN Interstar
OPEL Movano from 2010
FORD Transit from 2000



V7201N



Installation



Removal



Universal compact wheel bearing removal/installation tool set

- For removing and installing compact wheel bearings with or without circlip
- Adjustability enables use on all types of currently available and future compact wheel bearings



UPDATE



V7267


Wheel hub puller

- Removal of screwed wheel bearing units with closed wheel hub. The drive shaft does not have to be removed beforehand anymore
- To be used together with wheel bearing / hub tool **V3731** - **V3732** as well as hydraulic cylinder 16-22 t
- Bolt circle 4 and 5-hole: 92 - 131 mm
- Note: Do not load tool with more than 18 t
- For models with closed wheel hub, among others:
OPEL Insignia model year 2010 →
CITROËN C1 model year 2006 → · Jumpy model year 2016 →
SpaceTourer model year 2016 →
PEUGEOT 108 model year 2015 →
Expert model year 2016 → · Traveller
TOYOTA Aygo model year 2006 → · ProAce (Verso) and other models



Wheel hub/wheel bearing puller for 6 and 8 bolts

- Removing screwed wheel bearings and hub units directly on the vehicle
- Only in conjunction with **V5906**
- No need to remove the drive shaft
- The included M 22 threaded rods connect the tool to one of our hydraulic cylinders
- For bolt circle (6 hole) 111.5 - 142.5 mm, (8 hole) 162.5 - 182.5 mm
- Among others for **MERCEDES-BENZ** Sprinter · X-Class, **NISSAN** Pathfinder, **IVECO** Daily, **VOLKSWAGEN** Crafter, **FORD** F-150 · Ranger



V7133N

Wheel bearing expansion set for Sprinter / Crafter

- Recommendation: use of a conventional tool set is not possible as a closed wheel bearing is fitted. Drive with a spindle system is not possible
- Special set for installing the wheel bearing closed at the wheel hub for the following vehicles, among others: **MERCEDES-BENZ** V-Class model year 2014 → · Viano model year 2003 → · Vito box model year 2014 → · Sprinter model year 2008 →
- **VOLKSWAGEN** Crafter model year. 2011 →
- Cost and time savings by eliminating the need to install a new steering knuckle, the subsequent axle alignment and the associated additional work
- Requirements: Assembly unit for compact wheel bearing **V4491** as well as drive unit, e.g. hydraulic cylinder **V4551** or **V2854**

V7275

 EAN 4047728**072755**

Multibox · starter set · wheel bearing of van front axle

- More mobility in the fields of trade, industry and service
- Considerable time savings thanks to usability directly on the vehicle, estimated time per side is approx. 30 – 40 minutes
- Replacement of the front axle wheel bearing on the following models:
 - **CITROËN** Jumper
 - **FIAT** Ducato
 - **PEUGEOT** Boxer since 2007
 - **RENAULT** Master
 - **NISSAN** Interstar
 - **OPEL** Movano since 2010
 - **FORD** Transit since 2000
- The 32 tonne cylinder V2874 is required to use the tool set
- Can be optionally extended for rear axle wheel bearings for various van models with V7291
- Cylinder not included in delivery


**SUV
Van**


» For single parts list,
see VIGOR
main catalogue
page 395



18

V7251

 EAN 4047728**072540**

Multibox wheel bearing set IVECO Daily

- More mobility in the fields of trade, industry and service
- Replacement of the front axle wheel bearings in the installed condition on **IVEVO** Daily from model year 2014 →
- To be used with 32-tonne hydraulic cylinder V2874
- Alternative use after removal with the aid of a workshop press
- Cylinder not included in delivery


**SUV
Van**


» For single parts list,
see VIGOR
main catalogue
page 394



11

V6521

EAN 4047728089128

3/4" and 1" impact socket set · 24 pieces

- For high torques and heavy-duty nut-driving applications
- Robust, cold-forged sockets
- Includes ratchet, extensions and adapters for flexible use
- Perfect for trucks, commercial vehicles and industrial applications
- For manual and impact operation
- Supplied in a sturdy transport case for optimum organisation and mobility



New

Suitable for impact wrenches

- 1 x 500 mm ratchet 3/4" drive
- 1 x 200 mm extension 3/4" drive
- 1 x adapter 3/4" x 1"
- 17 x cold-forged 3/4" impact sockets
Size: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50 mm
- 3 x cold-forged 1" impact sockets
Size: 55, 60, 65 mm
- 1 x sturdy transport case

24



V5034/3

EAN 4047728086318

Impact extension set*

- Material: Cr-Mo
- For impact operation
- Ideal for hard-to-reach places
- Lengths: 100, 200 and 400 mm

20 3/4" 20 3/4"



3



*Also available individually!

V7212N

EAN 4047728087858

Impact socket set

- Common screw connections on VAG vehicles, e.g. brake carriers, central drive shafts, shock absorbers or screwed wheel bearing units
- Surface: burnished, oiled
- For impact operation

20 3/4"



7



V4914


EAN 4047728087230

T-handle ratchet

- Ideal for precise screwdriving work in confined spaces
- Switching function for quick changeover between forward and reverse
- Can be converted to a T-handle – for maximum force transmission with tight screws
- Fine-toothed for controlled work with a low return angle
- Ergonomic design for comfortable handling even during long periods of use



6.3 1/4"



V4970

EAN 4047728086219

Telescopic ratchet set

- 180° swivel head with locking mechanism
- Quick-release press-button
- For manual operation
- Including extension 75 and 250 mm



6.3 1/4" 10 3/8" 12 1/2" 20 3/4"
6.3 1/4" 10 3/8" 12 1/2" 20 3/4"



VIGOR No.

Designation

EAN
4047728+

V4970-L

Telescopic ratchet insert S · empty

086110

17





V4883

EAN 4047728087841

Flexible handle 990 mm 3/4"

20 3/4"

- Extra long and robust design
- 180° swivelling head
- Ideal for loosening tight bolts and nuts on trucks, passenger cars and construction and agricultural machinery



V2318N

EAN 4047728059299

3/4" Socket set

- Drive: square 20 mm (3/4 inch)
- Output: outside hexagon profile
- Sizes: 19 – 50
- Number of teeth: 24 (operating angle 15°)
- For manual operation


20 3/4"
**21****V5010/12**

EAN 4047728086981

Screwdriver with impact cap · including square

- 2-component handle
- Screwdriver with impact cap
- Hexagon at the blade
- 1/4" square in the impact cap
- PH0 · PH1 · PH2 · PH3 · PH4
- 3.5 x 38 · 3.5 x 75 · 5 x 100 · 6 x 125 · 8 x 150 · 10 x 200


6.3 1/4"
**12****V7513**

EAN 4047728087728

Flexible head wrench set*

- For manual operation
- Ideal for screwdriving work on engines, gearboxes, chassis and tight installation spaces
- No additional universal joint required – compact and efficient
- Size: 10 – 19 mm

10 3/8"


*Also available
individually!

**10****V6202**

EAN 4047728062022

Socket set · super flat


- Flat insert profile – direct attachment to the nut/screw connection
- Robust solid steel reversible ratchet
- Right and left-hand operation
- Ergonomic handle
- Sockets without chamfered edge
- Super short sockets make it possible to work in very tight spaces
- Size: 8 – 17, 19, 21, 22 mm

10 3/8"
**18**

V2235
EAN 4047728022354


2.5 kg rubber hammer

- Loosening rusted rims during a wheel change
- For automotive and industrial companies
- Non-rebound due to steel-ball filling in hammer head (hammer does not rebound)
- Plastic handle
- Dimensions / length: 490 mm
- Hammer head weight: 2.5 kg


V2234
EAN 4047728022347

5 kg rubber hammer

- Loosening rusted rims during a wheel change
- Extra-heavy design for commercial vehicles, agriculture and industry
- Non-rebound due to steel-ball filling in hammer head (hammer does not rebound)
- Plastic handle
- Dimensions / length: 900 mm
- Hammer head weight: 5 kg


V6850/6
EAN 4047728087629

Bolt cleaner

- For quick and effective cleaning of wheel bolts and stud bolts
- Removes rust, dirt and adhesions for optimum contact surfaces
- Ensures correct fit of the rim and prevents assembly problems
- Suitable for use with cordless screwdriver or drilling machine
- 1/2" socket


V6850-13

Ø 13 mm
V6850-14

Ø 14 mm
V6850-22

Ø 22 mm
V6850-12

Ø 12 mm
V6850-16

Ø 16 mm
V6850-18

Ø 18 mm


VIGOR No.	Ø mm	Designation	EAN 4047728+
V6850-12	12	Bolt cleaner	087636
V6850-13	13		087643
V6850-14	14		087650
V6850-16	16		087667
V6850-18	18		087674
V6850-22	22		087698



V6500-190

EAN 4047728084208

Heavy-duty diagonal cutter

- High-performance heavy-duty diagonal cutter for precise and effortless cutting
- Robust construction and sharp cutting blades for clean and precise cuts
- Ergonomically shaped handles for maximum comfort and control during use

**V6504-125**

EAN 4047728082617

Universal pliers with pushbutton · 125 mm


- Adjustment of the jaw opening at the touch of a button
- Locking of the hinge pin prevents unintentional adjustment
- Jaw opening: up to 44 mm
- Capacity for nuts, size 27 mm
- Capacity for pipes $\varnothing$ 29 mm / $\varnothing$ 1"
- Adjustment positions: 15
- Weight: 89 g

**V6200-XXL**

EAN 4047728087940

Drift pin set · 3 pieces · 18, 22, 25 mm

- Drift pins made of hardened tool steel in XXL format with sturdy hand guard
- For driving through axles, shafts, bolts, splint pins and pins in the following sectors:
 - Commercial vehicles
 - Agricultural machinery
 - Motor vehicles
 - Motorcycles
 - Industry
 - Trade

**HEAVY DUTY****3**

V7740/6

 EAN 4047728**084499**

Combination wrench set XXL

- Chrome-vanadium
- DIN 3113
- Surface: chrome-plated, polished



34 · 36 · 38 · 41 · 46 · 50 mm


V6640

 EAN 4047728**085588**

Combination wrench set XXL in soft foam insert

- Set contents V7740/6

L



6



6


V2499N


 EAN 4047728**087933**

Lever crimping pliers set · 6 pieces

- Parallel crimping dies prevent unevenly crimped connections, unlike standard crimping pliers
- Good leverage ratios allows reduced manual force
- Forced locking guarantees consistent crimping results
- Quick-change function for the five interchangeable crimping dies with increased crimping performance and optimised contact surface:
 - Crimping die A: for insulated cable lugs from 0.5 – 6.0 mm² (red, blue, yellow)
 - Crimping die B: for closed, non-insulated cable lugs of 1.5 · 2.5 · 6.0 · 10 mm²
 - Crimping die C: for open, non-insulated cable lugs from 0.5 – 6.0 mm² (width up to 6.3 mm)
 - Crimping die D: for wire end sleeves with or without collar from 0.5 – 4.0 mm²
 - Crimping die F: for wire end sleeves 6.0 mm²



6



PIPE WRENCHES

- Robust cast iron pliers body enables high power transmission
- Quick canting and release on the workpiece due to internal spring
- Coarse jaw serration for optimum grip



**Our 5 pipe wrenches –
Your problem-solving team**



HEAVY DUTY
Continuously adjustable

New



	VIGOR No.	Jaw opening up to	Length mm	Weight kg	EAN 4047728+
①	V5639-6	33 mm	130	0.23	086134
②	V5639-8	46 mm	170	0.39	086127
③	V5639	60 mm	350	1.3	075589
④	V5639-24	88 mm	620	3.2	081719
⑤	V5639-36	150 mm	760	8.72	089135

V1001/2

EAN 4047728**086752**

Impact rod set

- Diameter 25 mm and 16 mm
- Exchangeable nylon caps
- Impact rod 25 mm with steel ball filling (non-rebound)
- Extension for hammer
- Precise and secure impact possible

20 3/4"




2

V2338-XL

EAN 4047728**071444**

Mechanic's mat

- Comfortable working on the floor in the workshop, in industry, in the garden or in the household
- Large lying surface
- High-quality foam
- Low-impact
- Pliant and heat-retaining foam
- With two handles




V6031-6.0

EAN 4047728089005

Jack stand set · 6 t

- Precise locking mechanism for quick and secure height adjustment
- Wide, reinforced base frame for maximum stability
- Ideal for SUVs, vans and heavy commercial vehicles
- Weight: 14 kg

New


2

V6029-6.0


EAN 4047728089029

Bottle jack · 6 t

- Powerful hydraulic system for fast lifting
- Large, stable base plate for a safe, balanced position
- Ideal for passenger cars, SUVs, vans and light commercial vehicles
- Weight: 4.3 kg

New

**Practical and
lightweight!**



Your tool deserves a better home!


Find the perfect empty tool trolley for your needs. Individual just like you! You decide. Come and snap up the perfect model for you!

Series M – Small but mighty




400 kg Total loading capacity

V5489
EAN 4047728**054898**



20 kg
L: 681 mm
W: 460 mm
H: 1016 mm




Series L – The all-rounders



500 kg Total loading capacity


V1901
EAN 4047728**019019**



25 kg
L: 733 mm
W: 481 mm
H: 1002 mm



25% 25% more drawer capacity compared to Series M




V1901-X
EAN 4047728**083072**

Series XL – Bigger is better



500 kg Total loading capacity


V4481
EAN 4047728**044813**



25 kg
L: 949 mm
W: 523 mm
H: 1017 mm



33% 33% more drawer capacity compared to Series M




V4481-X
EAN 4047728**060721**

Series XD – The space saving boss




500 kg Total loading capacity

V4481-XD
EAN 4047728**066488**



30 kg
L: 986 mm
W: 695 mm
H: 1017 mm




53% 53% more drawer volume compared to Series XL

Series XXL – For everything big




1000 kg Total loading capacity



30 kg
60 kg
L: 1615 mm
W: 686 mm
H: 1035 mm



Monster drawer



V4481-XXL
EAN 4047728**080491**




With mat

**Tool trolley
available
with assortment
1 or 2!**

Drawers:
• 5x flat
• 2x high

L x W x H
681 x 460 x 1016 mm




ASSORTMENT 1


V5116



V2837



V6726N



V5111N



320
tools including
tool trolley



You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	kg	EAN 4047728+
V2712N	320	Tool trolley with mat and assortment 1	77	055451

ASSORTMENT 2


V5116



V5111N



V6726N



256
tools including
tool trolley



You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	kg	EAN 4047728+
V2379N	256	Tool trolley with mat and assortment 2	72	055444



With stainless steel worktop




L

VIGOR
SERIES **L**



Drawers:
• 7x flat
• 1x high




L x W x H
733 x 481 x 1002 mm



With plastic worktop

Drawers:
• 6x flat
• 2x high



L x W x H
733 x 481 x 1002 mm

Tool trolley available with assortment 1 or 2!

ASSORTMENT 1




442
tools including
tool trolley



You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	EAN 4047728+
V1901-X/442	442	Tool trolley with stainless steel worktop and assortment 1	084338
V1901/442	442	Tool trolley with plastic worktop and assortment 1	088336

ASSORTMENT 2



344
tools including
tool trolley



You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	EAN 4047728+
V4560-X	344	Tool trolley with stainless steel worktop and assortment 2	084178
V4560	344	Tool trolley with plastic worktop and assortment 2	045605


V4813/NKW

 EAN 4047728**085687**

Work bench advantages

- Robust wooden worktop
- Vice V6150N can be screwed on (not included in delivery)
- Door allows large tools to be stowed away
- Includes 7 inserts

+7
inserts!


 L x W x H
1091 x 481 x 1018 mm


Our tip!
Vice
V6150N



V1901-X/NKW

 EAN 4047728**085601**

Tool trolley advantages

- Compact design
- Saves a lot of space in the workshop
- Stainless steel worktop: resistant to dirt
- Includes 7 inserts

+7
inserts!


 L x W x H
723 x 459 x 1002 mm


Our tip!
Laptop table
V6221



Both tool trolleys come with 7 inserts!

L

 2
K

Advantages of inserts

- 3/4" Socket set for heavy-duty use (V5109)
- XXL Combination wrench as problem solver (V6640)
- Fine-tooth solid steel ratchets for use on commercial vehicles

V4971N
V4973N
V4975N
V5109
V6807N
V6640


19 · 21 · 22 · 23 · 24 · 26 · 27 · 28 · 30
32 · 34 · 36 · 38 · 41 · 46 · 50 mm

34 · 36 · 38 · 41 · 46 · 50 mm

V6813
V6565
V6817




V4481-X/NKW

EAN 4047728090643

Tool trolley with stainless steel worktop

- Assortment for commercial vehicles, construction and agricultural machinery
- Contains wrench sizes up to 50 mm

**+12
inserts!**



446


V4481-W/NKW

EAN 4047728091510

Work bench with wooden worktop

- Assortment for commercial vehicles, construction machinery and agricultural machinery
- Contains wrench sizes up to 50 mm

**+12
inserts!**



New

446

VIGOR No.	Designation	EAN
V4481-W	Work bench with wooden worktop, empty	090414

Both tool trolleys come with 12 inserts!

New

V4586



V6650N



V6817




V5017



V6640



V4991



V5633N



V5603



V5070



V5068



V5109



V4970



VIGOR SERIES XL

XL



With stainless steel worktop




Tool trolley available with assortment 1, 2 or 3!



Drawers:
• 7x flat
• 1x high

Edge protection




With plastic worktop

Tool trolley available with assortment 1, 2 or 3!



Drawers:
• 7x flat
• 1x high



ASSORTMENT 1


V4971N

V4973N

V4975N

V7323

V4727



V5170



V4729



499 tools including tool trolley

ASSORTMENT 2

V4586



V6650N



V5170



You can find the list of items for the tool trolley here!

ASSORTMENT 3


V4586



V5170



375 tools including tool trolley




VIGOR No.		Designation	EAN 4047728+
V4481-X/499	499	Tool trolley with stainless steel worktop and assortment 1	062367
V5434	499	Tool trolley with plastic worktop and assortment 1	054348



466 tools including
tool trolley



VIGOR No.		Designation	EAN 4047728+
V4481-X/466	466	Tool trolley with stainless steel worktop and assortment 2	074674
V4481/466	466	Tool trolley with plastic worktop and assortment 2	088329



VIGOR No.		Designation	EAN 4047728+
V4481-X/375	375	Tool trolley with stainless steel worktop and assortment 3	062350
V4542	375	Tool trolley with plastic worktop and assortment 3	045421




The space saver!

» With stainless steel worktop

» Drawer slide out 100 %

EXTRA DEEP!

L x W x H
986 x 695 x 1017 mm



You can find the list of items for the tool trolley here!

VIGOR No.		Designation	kg	EAN 4047728+
V4481-XD/775	775	Tool trolley with stainless steel worktop and assortment	210	068529

LD

XD

XXD

VIGOR
 SERIES **XXL**

In a class of its own!

» With stainless
steel worktop

» Drawer slide out
100 %

EXTRA DEEP + EXTRA WIDE!



L x W x H
1625 x 695 x 1017 mm

V6830



V6831

V6807N

V6808N



You can find the
list of items for the
tool trolley here!



Including socket strip
with 2x USB and
2x USB-C as well as
2-metre H07 cable
with safety plug



929

+

tools including
tool trolley



Including
can holder
V2393-XD



VIGOR No.



Designation

EAN
4047728+

V4481-XXL/929

929

Tool trolley with stainless steel worktop and assortment

296

082303

Powerful 3.7 kW version!



V4891-3.7

EAN 4047728088039

**3.7
kW**

Induction heater · 3.7 kW

- Precise, fast heating of components
- Powerful 3.7 kW variant for motor vehicle and commercial vehicle applications
- No open flame, no risk to hoses, cables or plastic parts
- Mobile use thanks to compact design with enormous power
- Extra-long, well-protected hose set of 3.0 m
- Water cooling with 1.5 litre volume
- Delivery includes coolant
- Additional fan for cooling the agent
- Output power can be precisely adjusted for the application fields
- 3.7 kW output



*Extra-long hose set
including robust insulation*

*Including 35° angled
coil – total length
of the coil 500 mm*



	VIGOR No.	Designation	EAN 4047728+
①	V4891-3.7-1	Focus coil bent 500 mm	088510
②	V4891-3.7-2	Coil 90° angular · surface coil	088503
③	V4891-3.7-3	Cooling fluid 5 litres	088459
④	V4891-3.7-5	Round coil · Ø 20 mm	088497
⑤	V4891-3.7-6	Round coil · Ø 60 mm	088480
⑥	V4891-3.7-7	Round coil · Ø 100 mm	088466

2



VIGOR GmbH · Am Langen Siepen 13–15 · 42857 Remscheid · GERMANY
www.vigor-equipment.com · info@vigor-equipment.com

EINFACH VIGOR.

Valid from March 01, 2026 until February 28, 2027 – errors excepted