






HOT DEALS

2026-2



EINFACH VIGOR.

Valid from September 01, 2026 until February 28, 2027 – errors excepted



Follow us!

HOT26-2/EN/XX/0

Your unique anniversary



RFID CLOSING SYSTEM
WITH EMERGENCY KEY
AND 2 x RFID CHIPS



Including holder
for JBL Flip Essential 2

PRACTICAL BATTERY
COMPARTMENT
TO EASILY REPLACE
THE BATTERIES

2 x AAA

NEW DRAWER
HANDLE DESIGN

WITH ALUMINIUM
HANDLE RAIL FOR
HIGH-QUALITY FEEL

ANNIVERSARY
UV PRINT

VIGOR
20
2006 - 2026

L x W x H
1017 x 940 x 514 mm

ANNIVERSARY
UV PRINT



V4481-X-20
EAN 4047728091756

Tool trolley, empty



XL



V4481-X-20/410

EAN 4047728091817


ASSORTMENT 2

V4971N V4973N V4975N V4970



V4753

V5017




V6723N

V4987

V6722N

V5075



V5170



V7015N



410

tools including
anniversary tool trolley



You can find the
list of items for the
tool trolley here!

VIGOR
20
2006 - 2026

+410

Price including tool trolley

Anniversary tool trolley!

VIGOR
SERIES XL
STAINLESS
STEEL

ACCESSORIES FOR ASSORTMENT 1

1/2"
1200 Nm
V6000-060
 Glove box and
 can holder

V2257
 Impact socket set

125 1/2"
V5771
 Impact
 wrench

JBL Flip Essential 2
V6000-055XL
 Torque wrench
 holder



60 – 320 Nm
V3899
 Torque wrench

V6742
 Tool
 magnet holder

V4481-X-20/525

EAN 4047728091848

ASSORTMENT 1


V6807N
V6722N

V5633N
V4995
V5006
V4999N

V6810

V5602

V5041
V5017
V6809

V5038

V5170

525

 tools including
 anniversary tool trolley plus
 JBL box and accessories

 You can find the
 list of items for
 the tool trolley here!

+525


Price including tool trolley

In a class of its own!

VIGOR
SERIES XXL



Including socket strip with 2x USB and 2x USB-C as well as 2-metre H07 cable with safety plug



» With stainless steel worktop

» Drawer slide out 100 %

V4481-XXL
EAN 4047728080491

Tool trolley, empty

EXTRA DEEP + EXTRA WIDE!

LD

XD

XXD



Top



Left




Right






ASSORTMENT 1 Including tool trolley with stainless steel worktop

V6830



V6831





929

tools including
tool trolley





Including
can holder
V2393-XD



You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	EAN 4047728+
V4481-XXL/929	929	Tool trolley with stainless steel worktop and assortment 1	082303

ASSORTMENT 2 Including tool trolley with stainless steel worktop + all inserts from assortment 1!



1299

tools including
tool trolley



You can find the
list of items for the
tool trolley here!




Including can holder V2393-XD
and 5x soft foam insert V5008!

VIGOR No.	XX	Designation	EAN 4047728+
V4481-XXL/1299	1299	Tool trolley with stainless steel worktop and assortment 2	091138

The space saver!

VIGOR
SERIES **XD**



» With stainless steel worktop




V4481-XD
EAN 404772806488

Tool trolley, empty

EXTRA DEEP!

ASSORTMENT 1







You can find the list of items for the tool trolley here!

469

tools including tool trolley

VIGOR No.	xx	Designation	EAN 4047728+
V4481-XD/469	469	Tool trolley with stainless steel worktop and assortment 1	068512

ASSORTMENT 2



You can find the
list of items for the
tool trolley here!

775

tools including
tool trolley

VIGOR No.		Designation	EAN 4047728+
V4481-XD/775	775	Tool trolley with stainless steel worktop and assortment 2	068529



VIGOR XL SERIES



With stainless steel worktop



Tool trolley available with assortment 1, 2 or 3!





Drawers:
• 7x flat
• 1x high

Edge protection

V4481-X

EAN 4047728060721



With plastic worktop



Tool trolley available with assortment 1, 2 or 3!



Drawers:
• 7x flat
• 1x high

V4481

EAN 4047728044813



ASSORTMENT 1


V4971N

V4973N

V4975N

V7323

V4727



V5170



V4729



499 tools including tool trolley

ASSORTMENT 2

V4586



V6650N



V5170



You can find the list of items for the tool trolley here!

ASSORTMENT 3


V4586



V5170




375 tools including tool trolley




VIGOR No.		Designation	EAN 4047728+
V4481-X/499	499	Tool trolley with stainless steel worktop and assortment 1	062367
V5434	499	Tool trolley with plastic worktop and assortment 1	054348



466 tools including
tool trolley



VIGOR No.		Designation	EAN 4047728+
V4481-X/466	466	Tool trolley with stainless steel worktop and assortment 2	074674
V4481/466	466	Tool trolley with plastic worktop and assortment 2	088329



VIGOR No.		Designation	EAN 4047728+
V4481-X/375	375	Tool trolley with stainless steel worktop and assortment 3	062350
V4542	375	Tool trolley with plastic worktop and assortment 3	045421

VIGOR
SERIES **L**

L



With stainless steel worktop




**Tool trolley available
with assortment 1, 2 or 3!**




Drawers:
• 7x flat
• 1x high

Edge protection

V1901-X
EAN 4047728083072



Tool trolley, empty




With plastic worktop

**Tool trolley available
with assortment 1, 2 or 3!**




Drawers:
• 6x flat
• 2x high

V1901
EAN 4047728019019



Tool trolley, empty




ASSORTMENT 1

V4188



V4753



V5004



V5072



V5633N



V6811




ASSORTMENT 2

V4188



V4753



You can find the
list of items for the
tool trolley here!

376


tools including
tool trolley

ASSORTMENT 3

V4188



V6643N




You can find the
list of items for the
tool trolley here!

248

tools including
tool trolley

V6724N



V5006



V5017




V4995



V5068



V4991



V5070



You can find the list of items for the tool trolley here!

442 tools including tool trolley

VIGOR No.		Designation	EAN 4047728+
V1901-X/442	442	Tool trolley with stainless steel worktop and assortment 1	084338
V1901/442	442	Tool trolley with plastic worktop and assortment 1	088336

V6724N



V5068



V5070



V5006



V5633N



V5603



V7324N



VIGOR No.		Designation	EAN 4047728+
V1901-X/376	376	Tool trolley with stainless steel worktop and assortment 2	084192
V1901/376	376	Tool trolley with plastic worktop and assortment 2	080293

V5637N



VIGOR No.		Designation	EAN 4047728+
V4219-X	248	Tool trolley with stainless steel worktop and assortment 3	084185
V4219	248	Tool trolley with plastic worktop and assortment 3	042192




With mat

Tool trolley available with assortment 1 or 2!

Drawers:
• 5x flat
• 2x high

L x W x H
681 x 460 x 1016 mm

V5489
EAN 4047728054898




ASSORTMENT 1



V5116



V2837



V6726N



V5111N

302
tools including
tool trolley



You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	kg	EAN 4047728+
V2712N	302	Tool trolley with mat and assortment 1	77	055451


ASSORTMENT 2



V5116



V5111N



V6726N

238
tools including
tool trolley





You can find the
list of items for the
tool trolley here!

VIGOR No.	XX	Designation	kg	EAN 4047728+
V2379N	238	Tool trolley with mat and assortment 2	72	055444

STARTER KIT · 500 & 700 mm DEPTH

Storage system

- 3-module combination in wide and deep design
- Available with wooden or stainless steel worktop
- Including side veneer
- Full extension





VIGOR No.	Depth in mm	Designation	EAN 4047728+
V6000-3P1XL	500	Storage system combination · starter kit · wood	073318
V6000-3P1XL-X	500	Storage system combination · starter kit · stainless steel	073271
V6000-3P1XLD	700	Storage system combination · starter kit · wood	087001
V6000-3P1XLD-X	700	Storage system combination · starter kit · stainless steel	086998

COMPACT KIT · 700 mm DEPTH

Storage system

- 3-module combination in wide and deep design with perforated panel structure and wall cabinets
- Extra-deep high cabinet with double-hinged door
- Available with wooden or stainless steel worktop
- Including side veneer
- Full extension: 700 mm



VIGOR No.	Designation	EAN 4047728+
V6000-3XD	Storage system combination · compact kit · wood	087018
V6000-3XD-X	Storage system combination · compact kit · stainless steel	087025

STORAGE SYSTEM 341 mm



⑤



②



③



④



	VIGOR No.	Designation	EAN 4047728+
①	V6000-037N	Bridge-type lower cabinet	090391
②	V6000-038	Hose/cable reel cabinet	090384
③	V6000-0341-D	Wooden worktop	093705
④	V6000-0341-XD	Stainless steel worktop	091930
⑤	V6000-010SXL	Perforated plate	093316

V2517N

 EAN 4047728**093064**

Single hook

• 1 – 30 mm

New


5

V2524

 EAN 4047728**093095**

Single hook

• 1 – 60 mm

New


5

V2518N

 EAN 4047728**093071**

Single hook

• 1 – 90 mm

New


5

V2526

 EAN 4047728**093118**

Tool clamp

• 6 – 12 mm

New


6

V2527

 EAN 4047728**093156**

Tool clamp

• 6 – 18 mm

New


6

V2528

 EAN 4047728**093163**

Tool clamp

• 6 – 24 mm

New


6

V2525

 EAN 4047728**093101**

Drill holder

New


4

V2529

 EAN 4047728**093170**

Hammer holder

• 4 – 50 mm

New


3

V2530

 EAN 4047728**093187**

Pliers holder

• 5 – 20 mm

New


3

V1901-X-EV/66

EAN 4047728**089913**

Tool trolley including insulated tool assortment



VIGOR No.		Designation	EAN 4047728+
V1901-X-EV	–	Tool trolley, empty	089081


V2024



Insulated socket and pliers set

- Size: 6 – 22 mm
- Inside hexagon: 4, 5, 6, 8, 10


V2025



Insulated screwdriver set

- PH0 · PH1 · PH2 · PH3
- 0.5 x 3.0 · 0.8 x 4.0 · 1.0 x 5.5 · 1.2 x 6.5

V2026



Insulated wrench set

- Sizes: 6 – 19, 21, 22, 24, 27, 30, 32 mm

66



V2542N

EAN 4047728**088961**

Universal tool case

- High-quality universal tool case for professional and workshop tools
- Robust, lockable hard-shell design for maximum durability



VIGOR No.	Designation	EAN 4047728+
V2400N	Universal tool case · empty	088978

144



V6020

EAN 4047728092012

1/4" screwdriver socket set

- For manual operation

6.3 1/4"

New

*Individual parts
available!*

38 mm — T8 · T9 · T10 · T15 · T20 · T25 · T27 · T30 · T40
 O 3 · 4 · 5 · 6 · 7 · 8 · 9
 O 5 · 6 · 7 · 8 · 9 · 10

65 mm — T10 · T15 · T20 · T25 · T27 · T30 · T40
 O 3 · 4 · 5 · 6 · 7 · 8 · 9
 O 5 · 6 · 7 · 8 · 9

150 mm — T10 · T15 · T20 · T25 · T27 · T30 · T40
 O 4 · 5 · 6 · 7 · 8
 O 5 · 6 · 7 · 8

57

V6021

EAN 4047728092067

3/8" screwdriver socket set

- For manual operation

10 3/8"

New

*Individual parts
available!*

38 mm — T40 · T45 · T50 · T55
 O 7 · 8 · 10 · 12
 O 10 · 12 · 14

65 mm — T40 · T45 · T50 · T55
 O 7 · 8 · 10 · 12
 O 10 · 12 · 14

150 mm — T40 · T45 · T50 · T55
 O 7 · 8 · 10 · 12
 O 10

31


V2414N

EAN 4047728056434

Socket set

• For manual operation

**46****V2461N**

EAN 4047728056472

Socket set

• For manual operation

**172****V5461**

EAN 4047728080323

Socket set

• For manual operation

**12-point****133****V3277N**

EAN 4047728056489

Socket set


• For manual operation

**212****V2318N**

EAN 4047728059299

3/4" socket set

• For manual operation

**21****V7920N**

EAN 4047728081702

T-Plus socket set

• For manual operation

**60**

V7513
EAN 4047728087728

Universal joint socket set*

- For manual operation
- Ideal for screwdriving work on engines, gearboxes, chassis and tight installation spaces
- No additional universal joint required – compact and efficient
- Size: 10 – 19 mm

10 3/8"

*Also available individually!



10

V6202
EAN 4047728062022

Socket set · super flat

- Flat socket profile – direct attachment to the nut/screw connection
- Robust solid steel reversible ratchet
- Right and left-hand operation
- Ergonomic handle
- Sockets without chamfered edge
- Super short sockets make it possible to work in very tight spaces
- Size: 8 – 17, 19, 21, 22 mm

10 3/8"


18

V7784
EAN 4047728077842

Ratcheting wrench screwdriver bit set

- Good accessibility for hard-to-reach places: Screwdriver bits are inserted in the ratchet → ratchet head height very low
- Bit assortment with 10 mm hexagon socket
- 2 sockets: Rigid side for loosening tight screw connections, Bit ratchet socket with fine toothing of 72 teeth
- Long ratchet wrench: 250 mm

10 3/8"


40

V4883
EAN 4047728087841

Flexible handle 990 mm 3/4"

- Extra long and robust design
- 180° swivelling head
- Ideal for loosening tight bolts and nuts on trucks, passenger cars and construction and agricultural machinery

20 3/4"


V4914
EAN 4047728087230

T-handle ratchet

- Ideal for precise screwdriving work in confined spaces
- Switching function for quick changeover between forward and reverse
- Can be converted to a T-handle – for maximum force transmission with tight screws
- Fine-toothed for controlled work with a low return angle
- Ergonomic design for comfortable handling even during long periods of use

6.3 1/4"


V4970
EAN 4047728086219

Telescopic ratchet set

- 180° swivel head with locking mechanism
- Quick-release press-button
- For manual operation
- Including extension 75 and 250 mm

6.3 1/4" 10 3/8" 12.5 1/2" 20 3/4"

6.3 1/4" 10 3/8" 12.5 1/2" 20 3/4"


17


VIGOR No.	Designation	EAN 4047728+	
V4970-L	Telescopic ratchet insert S · empty	086110	

V7016/6

EAN 4047728087285

Glow plug extractor set

- Joint on the socket for optimal accessibility, even in tight spaces
- Integrated magnet holds the glow plug securely – no falling out during removal
- Gentle and precise removal – reduces the risk of breakage of sensitive glow plugs
- Robust quality for professional workshop use
- Ideal for diesel vehicles in the passenger car and commercial vehicle sector
- Sizes: 8, 10, 12, 14, 16 mm



10 3/8"



6

V7002/4


EAN 4047728079815

3/8" spark plug socket set

- Ball joints allow easy installation and removal in hard to reach places, e.g. on motorcycles or BMW N43- and N53 engines
- Magnetic
- Slim design
- Sizes: 14, 16, 18, 20.8 mm
- For manual operation



10 3/8"



4

V7041

EAN 4047728092142

Ratcheting box-end wrench set · extra-long with joint

- Slim design
- Including tool roll
- Surface: chrome-plated, polished
- 72 teeth
- Size: 8 – 19 mm



10

**V7720/6**

EAN 4047728091688

Double open-end wrench set · extra flat

- Ideal for tight and difficult to access screw connections
- Extra-thin design for maximum accessibility
- For counter-holding the brake caliper fastening screw on the caliper bracket
- Including tool roll
- Sizes: 8 – 19 mm



6



V6850/6
EAN 4047728087629

Bolt cleaner

- For quick and effective cleaning of wheel bolts and stud bolts
- Removes rust, dirt and adhesions for optimum contact surfaces
- Ensures correct fit of the rim and prevents assembly problems
- Suitable for use with cordless screwdriver or drilling machine
- 1/2" socket


6.3 1/4"
12.5 1/2"

V6850-13

Ø 13 mm
V6850-14

Ø 14 mm
V6850-22

Ø 22 mm
V6850-12

Ø 12 mm
V6850-16

Ø 16 mm
V6850-18

Ø 18 mm

VIGOR No.	Ø mm	Designation	EAN 4047728+
V6850-12	12	Bolt cleaner	087636
V6850-13	13		087643
V6850-14	14		087650
V6850-16	16		087667
V6850-18	18		087674
V6850-22	22		087698

8
V6840/4
EAN 4047728093217

Wheel hub grinder set

- For quickly and thoroughly cleaning wheel hubs and contact areas
- Four grinders in two different diameters for different applications
- Designs with and without middle hole for wheel hubs with or without studs
- Reliably removes rust, dirt and corrosion residues
- Ensures a clean contact area and aids in the correct rim seating
- Ideal for the workshop, tyre service and vehicle maintenance


6.3 1/4"
12.5 1/2"
New


VIGOR No.	Ø mm	Designation	EAN 4047728+
V6840-50	50	Wheel hub grinder - closed	093286
V6840-42	42		093293
V6840-47H	47	Wheel hub grinder - open	093224
V6840-42H	42		093231

6

V6050EAN 4047728**086141****One-hand multifunctional wrench**

- Chrome-vanadium
- Multifunctional wrench with ratchet function
- Automatic adjustment to the screw size
- Wrench sizes: 8 - 17 · 14 - 32
- Self-clamping
- Line wrench
- Ratchet function

**V6050/2**EAN 4047728**093736****Multifunctional wrench set**


- Chrome-vanadium
- Multifunctional wrench with ratchet function
- Automatic adjustment to the screw size
- Wrench sizes: 8 - 17 · 14 - 32
- Self-clamping
- Line wrench
- Ratchet function
- Square drive on the head for ratchet operation
- Square for adaptation of extensions

**New**

VIGOR No.	Size		EAN 4047728+
V6050-8X17	8 - 17	10 3/8	093729
V6050-14X32	14 - 32	12 1/2	093712

2**V6200-XXL**EAN 4047728**087940****Drift pin set · 3 pieces · 18, 22, 25 mm**

- Drift pins made of hardened tool steel in XXL format with sturdy hand guard
- For driving through axles, shafts, bolts, splint pins and pins in the following sectors:
 - Commercial vehicles
 - Agricultural machinery
 - Motor vehicles
 - Motorcycles
 - Industry
 - Trade

**HEAVY DUTY****3**

V2499N

EAN 4047728087933

Lever crimping pliers set - 6 pieces

- Parallel crimping dies prevent unevenly crimped connections, unlike standard crimping pliers
- Good leverage ratios allows reduced manual force
- Forced locking guarantees consistent crimping results
- Quick-change function for the five interchangeable crimp inserts for increased compression force and optimal contacting surface:
 - **Crimping die A:**
for insulated cable lugs
0.5 – 6.0 mm² (red, blue, yellow)
 - **Crimping die B:**
for closed, non-insulated cable lugs
1.5 · 2.5 · 6.0 · 10 mm²
 - **Crimping die C:**
for open, non-insulated cable lugs
0.5 – 6.0 mm² (width up to 6.3 mm)
 - **Crimping die D:**
for wire end sleeves with or without collar
0.5 – 4.0 mm²
 - **Crimping die F:**
for wire end sleeves over 6.0 mm²



6


V4451

EAN 4047728044516

Cable release tool set

- Damage-free release of electrical plugs and connectors e.g. on ABS, air conditioning sensors, radio, PDC, trailer coupling modules, etc.
- Quick troubleshooting for corrosion or connection defects
- For round and flat connectors



23


V4326N

EAN 4047728079860

Measuring cable set

- Motor vehicle applications and 12 V batteries
- Measuring line adapters for simplifying fault diagnostics directly on the vehicle
- Polarity testers for testing hall sensor and photo sensors
- Measuring potentiometer for testing the temperature sensor and tank sensor
- Use with multimeter V4324
- 3 flat terminals, flat terminal sleeves, round terminals, pin-type cable connectors and pin-type cable sleeves



92


V4324

EAN 4047728043243

Digital multimeter

- Compact and practical
- High-contrast, one-line LCD display including backlighting
- 19-position rotary switch
- Reliable warning thanks to automatic overflow and polarity display for preventing possible errors
- Measuring cable with protection against contact
- DC: 200 mV – 600 V
- AC: 200 V – 600 V
- DC: 200 mA – 10 A
- Resistance: 200 – 2000 Ohm



V7524

EAN 4047728081320

Flue gas leakage tester**For leakage detection in closed systems**

- Leaks are quickly visualised through the application of flue gas
- Operation via the 12 V on-board power supply
- Pressurisation by means of "Luft" ("air") mode and integrated manometer possible without further aids
- Smoke generation with suitable aid (we recommend our diagnostic liquid V7524-10)
- Universal application possibilities thanks to various adapters
- Built-in air compressor
- Automatic safety shutdown in case of imminent overheating
- Infinitely adjustable air flow

Diverse application possibilities, for example:

- Intake and boost pressure system
- Crankcase
- Exhaust gas and exhaust gas recirculation system
- Fuel system
- Adblue and additive system
- Tyres
- EVAP fuel system (US vehicles)
- Car body and glazing (wind noise, moisture penetration, etc.)

**The indispensable
diagnostics tool
for your workshop**



25

**Included in delivery****V7524-10**

EAN 4047728084321

Diagnostic liquid

- Ready-to-use diagnostic liquid for the generation of dense, white and odourless vapour in the VIGOR V7524 flue gas leakage tester
- The liquid is non-toxic and biodegradable
- The quantity of 250 ml is sufficient for numerous applications



**The perfect
solution for
every diagnosis –
250 ml
diagnostic liquid!**

V4382

EAN 4047728091527

Pneumatic oil filling device

- 10-litre container content
- 2 m hose length
- Can be used for oils up to SAE 140
- For gearbox-, engine- and hydraulic oils as well as comparable, non-aggressive lubricating media
- Safe, pressure-tested container with pressure control valve
- Including angled filler adapter
- Vehicle-specific adapter optionally available
- Including 7.2 mm connection nipple

New

V4385N

EAN 4047728072601

Oil filling device with adapter set

- Filling gearboxes and differentials with oil
- Incl. oil pan and 16 adapters for vehicles with very limited installation space



18

V7289

EAN 4047728086653

Gear oil adapter for VAG 7-speed · 8-speed DSG

- Filling the 7-speed DQ 200 and 8-speed ZF 8DT using the gearbox vent
- Similar to OEM tool ASE40910100000


V7385

EAN 4047728077194

Gearbox tool set - MERCEDES BENZ - 9G Tronic

- Draining and filling the gearbox oil on 9-speed Tronic automatic gearbox with identification 725 (725589029000 · 725589009000)
- All necessary tools for oil change
- Drain wrench for adjusting the standpipe
- Contents:
 - Oil filter adapter (for use with oil filling device V4385N)
 - Multifunction oil drain wrench
 - Oil drain plug wrench



4

V4368

EAN 4047728**087711**

Pressure filling pump · manual

- For easy, effortless filling of vehicle transmissions (e.g. manual, automatic, DCT)
- Pressure build-up via spring force
- Large fill opening
- Suspension hook for safe filling and storage of the pump
- Flow regulation by means of a shut-off valve
- Roll-away protection
- Connection piece diameter 10 mm (inside 6 mm)



V4201

EAN 4047728**042017**

Vacuum pump

- Manual vacuum pump for extracting and filling vehicle fluids
- Pre-filling the fuel filter in vehicles without a pre-filter pump, e.g. the 2.0 l TDI **FORD** Galaxy and Mondeo
- Capacity: 1.5 l
- For the following fluids: Diesel, petrol, brake fluid, antifreeze, engine oil, gear oil, power steering oil
- Adapters included:
 - Inside 3/8" (10 mm) to outside 3/8" (10 mm)
 - Inside 5/16" (8 mm) to outside 3/8" (10 mm)
 - Outside 3/8" (10 mm) to outside 3/8" (10 mm)
 - Outside 5/16" (8 mm) to outside 3/8" (10 mm)
 - Outside variable to outside 3/8" (10 mm)




V6027N

EAN 4047728**084505**

Oil filler tank set

- For all common vehicle models
- Quick and uncomplicated filling of oil
- Prevents oil from spilling
- Reduces oil stains and dirt contamination in the engine compartment



OIL FILTER TENSIONER ADJUSTERS

- **Universal**
- Mechanical locking of the oil filter wrench simplifies subsequent attachment of the reversible ratchet to the oil filter wrench
- The oil filter tensioner adjuster always remains under tension when the reversible ratchet is moved backwards
- Continuously adjustable



VIGOR No.	Height mm	■	■	EAN 4047728+
V4413	60	● 21 mm · 1/2	60-80	044134
V4414	70	● 22 mm · 1/2	80-115	044141
V4415	105	● 24 mm · 1/2	115-140	062114

V1963/28

EAN 4047728081467

Cooling system diagnosis set

New adapter series with approx. 20% space saving per adapter!

- Comfortable and efficient work, by reaching almost all expansion tanks
- Greatest market coverage
- Passenger car diagnostics
- Complete set for service work on the cooling system and heating circuit
- Comprehensive range of adapters for vehicles with water-cooled engines
- 3 features: pressure test (check for leaks in radiator system) · filling · cleaning
- Control of pressure loss via manometer
- Filling creates a vacuum in the radiator system (Advantage: coolant is sucked in without air bubbles)
- Enables filling of even large engines without thermal influences
- Universal usage due to conical rubber radiator adapter
- Measuring range: 0 – 2.5 bar



New adapter series with approx. 20% space saving per adapter!



new

old

» **Largest model coverage on the market! Compatible with hybrid vehicles!**

28



V4340

EAN 4047728093415

Cooling system filler - pneumatic

For clean, efficient coolant service work without air inclusions!

- Pneumatic cooling system filler for motor vehicle cooling systems
- Filling under vacuum
- Avoids air bubbles in the cooling system
- Overpressure check to easily check for leaks
- Automatic pulling in of the pre-mixed coolant
- Funnel for refilling, approx. 1.2 l
- Pressure gauge: -1 to 0 bar
- Coolant suction hose: 1,200 mm
- Overflow hose: 1,200 mm
- Separate air and coolant valves
- Expanding rubber adapter for many vehicle cooling systems

New



9



V7501N-39EAN 4047728**093743****Video borescope 360° with 3.9 mm probe****Analysis and documentation of damage patterns in difficult to access spaces!**

- 4-way swivel probe with joystick control for 360° inspections
- Probe: Ø 3.9 mm
- Probe length with camera: 1500 mm
- Camera resolution: 1280 x 720 px
- Camera viewing angle: 80°
- Optimal focus: 20 – 50 mm
- 6 LED lights with 5 brightness levels
- Detachable 3" IPS screen with HD resolution 1280 x 720 px
- Photo and video recording with 720 px or 1080 px can be selected
- 5x image zoom and rotation
- IP67 protection class probe
- Rechargeable Li-ion battery 3000 mAh / 2 x type 18650
- USB-C charging connection
- Power plug with charging cable, 32 GB memory card and cleaning cloth included in the scope of supply
- Includes base for comfortable work, storage box with soft foam insert and HDMI cable

**New**

**Probe protection
through
automatic
shut-off!**



**Swivels 360°
on both sides
Ø 3.9 mm**



**1.5 metre
probe length!**



VIGOR No.	Designation	EAN 4047728+	
V7501N-39P	Probe, including joystick	093682	
V7501N-39S	Screen	093699	




V4416

EAN 4047728044165

Tube flaring tool for Ø 4.75 mm brake lines

- Exclusively for DIN flaring
- Exact positioning of the brake line in the device using a spacing adapter
- Application on brake and hydraulic lines directly on the vehicle
- For thin-walled lines made of steel, aluminium and copper (metric / inch)
- No damage to coated lines
- For DIN "F" flares 180°




5


V4697

EAN 4047728046978

Tube flaring tool for Ø 4.75 mm brake lines

- Flared tube ends of Ø 4.75 mm lines according to DIN and SAE standards
- Extremely small construction ensures that it is possible to work in confined spaces
- No damage to coated lines
- Distance adapter prevents incorrect positioning of the brake line
- For steel, aluminium and copper lines
- For 180° DIN "F" flares, as well as SAE "F" double flares
- Contents:
 - 1 basic unit
 - 1 DIN flare adapter
 - 1 SAE flare adapter
 - 1 distance adapter
 - 1 special grease



6


V1711N

EAN 4047728060738

Brake piston readjusting tool set · pneumatic

- Pushing and turning of brake pistons on nearly all passenger cars
- Efficient work on brake systems
- For clockwise and anti-clockwise brake pistons
- In addition to pneumatic support, controlled rewinding by hand is also possible



23


V7471/17

EAN 4047728077187

Brake bleeding complete set

For bleeding brake line systems and changing brake fluids

- Also for bleeding coupling systems
- Easy opening and closing of the brake nipple thanks to special hinge ratchet
- Guarantees fast access to the brake nipple even with the wheel mounted
- Angle coupling in 90° design with back pressure valve and anti-rotation protection
- Sockets: size 7 – 12 mm in short and long versions included in the scope of delivery



Take a look! ➤



17



V7158

EAN 4047728071581

Brake calliper screw connection set

- Brake calliper screw connection on e.g. VW · AUDI · PORSCHE · MERCEDES-BENZ · BMW · FORD · MAZDA · Volvo
- Including all common profile sizes for removal / installation of the brake calliper
- Special profiles for loosening the screw connections of separated brake callipers
- Ideal for floating and fixed brake callipers



- Sockets:
 - Size 7: 24 · 65 · 92 mm length
 - Size 8: 24 mm length
 - Size 9: 20 · 50 mm length
 - Size 11: 100 mm length

12

**V7259**

EAN 4047728072595

Brake line bending tool Ø 4.75 mm

- Bending device for easy duplication of brake lines that keep their shape

**V6917**

EAN 4047728069175

Brake line ratcheting tube cutter Ø 4.75 mm

- Space saving, with ratcheting mechanism
- Ratcheting mechanism in the head of the tool minimises space required – can be used directly on the vehicle
- No readjustment of the cutting wheel due to self-adjustment
- Faster cutting result than with conventional line cutters
- Adjustment of the self-adjusting cutting force possible
- Spare blades V6917-REP

**V5691**

EAN 4047728056915

Brake calliper file

- For removing brake dust, rust and dirt from the brake calliper without damaging the brake sleeves
- Extremely narrow design allows high flexibility
- All four sides of the square are toothed with two different thicknesses (cut)
- Width square: 9 mm

**V5909**

EAN 4047728059091

Brake hooks

- For hanging up the brake calliper during work on brakes (prevents damage to the brake hose)
- Also suitable for hanging up hoses or cables
- Surface: Dip-insulated



2

**V2250**

EAN 4047728022507

Brake calliper brush · steel

- Removal of stubborn brake dust
- Very slim design

**V2249**

EAN 4047728022491

Brake calliper brush · brass

- Cleaning aluminium brake callipers
- Removal of stubborn brake dust
- Allows access into small brake callipers



V6521

EAN 4047728089128

3/4" and 1" impact socket set · 24-piece

- For high torques and heavy-duty nut-driving applications
- Robust, cold-forged sockets
- Includes ratchet, extensions and adapters for flexible use
- Perfect for trucks, commercial vehicles and industrial applications
- For manual and impact operation
- Delivered in sturdy case for optimal order and mobility



Suitable for impact wrenches

- 1 x 500 mm ratchet 3/4" drive
- 1 x 200 mm extension 3/4" drive
- 1 x adapter 3/4" x 1"
- 17 x cold-forged 3/4" impact sockets
Size: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50 mm
- 3 x cold-forged 1" impact sockets
Size: 55, 60, 65 mm
- 1 x sturdy transport case


24

V5034/3

EAN 4047728086318

Impact extension set*

- Material: Cr-Mo
- For impact operation
- Ideal for hard-to-reach places
- Lengths: 100, 200 and 400 mm


20 3/4" **20** 3/4"

*Also available individually!

3

V7212N

EAN 4047728087858

Impact socket set

- Common screw connections for **VAG** vehicles, e.g. brake carriers, central drive shafts, shock absorbers or screwed wheel bearing units
- For impact operation
- Size: 14, 17, 19, 21 mm
- M14 · M16 · M18


20 3/4"

7

V6312/12

EAN 4047728083423

1/2" impact socket set

- Damage-free operation of wheel bolts by rotating plastic sleeve
- Comprehensive set with all required sockets
- For impact operation
- Size 15 + 17 + 18.5 + 19 + 19.5 + 20.5 + 21 + 21.5 + 22 + 22.2
- **KIA, HYUNDAI** and **MERCEDES-BENZ** special profiles



FORD



KIA



MERCEDES-BENZ


12 1/2"

12


V5771

EAN 4047728088008


1/2" Impact wrench**12⁵** 1/2"**1/2"**
1200 Nm

								
Ø mm	Nm	max. Nm	max. Nm	rpm	kg	l/min.	bar	m/s ²
12,91(16)  7,2	600	850	1200	10500	1.33	141.5	6.3	10.2

V4801

EAN 4047728088015


1/2" Impact wrench**12⁵** 1/2"**High performance
twin hammer
mechanism****1/2"**
1800 Nm

								
Ø mm	Nm	max. Nm	max. Nm	rpm	kg	l/min.	bar	m/s ²
12,91(16)  7,2	850	1100	1800	7500	2.02	198	6.3	8.71

V6900

EAN 4047728088022

3/4" Impact wrench**20** 3/4"**High performance
twin hammer
mechanism****3/4"**
2300 Nm

								
Ø mm	Nm	max. Nm	max. Nm	rpm	kg	l/min.	bar	m/s ²
16,41(20)  7,2	1400	2000	2300	6100	3.50	290	6.3	9.803



V6028-1.5-A


EAN 4047728089067

Hydraulic aluminium service jack · 1.5 t

- Lightweight hydraulic aluminium service jack – loading capacity 1.5 tonnes
- Smooth-running castors for optimum manoeuvrability
- Precise hydraulics for controlled lifting and lowering
- Weight: 14.5 kg



Castors made of polyurethane (PU)



VIGOR No.	Designation	EAN
V6028-2.0-5	Sill mounting	4047728+ 090001

V6028-2.0-D


EAN 4047728089050

Hydraulic service jack · 2 t · ultra-flat

- Ultra-flat design – ideal for sporty and low vehicles
- High lifting capacity with minimal ground clearance
- Precise hydraulics for controlled lifting and lowering
- Smooth-running castors for optimum positioning
- Weight: 31.4 kg



Castors made of polyurethane (PU)



VIGOR No.	Designation	EAN
V6028-2.0-6	Sill mounting	4047728+ 091824

V6028-2.0-L


EAN 4047728089043

Hydraulic service jack · 2 t · extra-long

- Ideal for vehicles with a longer wheelbase or difficult-to-access mounting points
- Extended lever arm for comfortable lifting
- Smooth-running castors for optimum positioning
- Weight: 45.8 kg



Castors made of polyurethane (PU)



VIGOR No.	Designation	EAN
V6028-2.0-5	Sill mounting	4047728+ 090001

V6028-3.0


EAN 4047728089036

Hydraulic service jack · 3 t

- Powerful for SUVs, vans and heavy passenger cars
- Foot pedal enables quick attachment to the service jack socket
- Smooth-running castors for optimum positioning
- Weight: 30.7 kg



Castors made of polyurethane (PU)




VIGOR No.	Designation	EAN
V6028-2.0-6	Sill mounting	4047728+ 091824

V6029-0.5EAN 4047728**088992****Transmission jack · 500 kg**

- 500 kg loading capacity
- Ideal for safe installation and removal of gearboxes
- Infinitely adjustable working height for precise positioning via foot pedal
- Precisely adjustable hydraulics for controlled lifting and lowering
- Four swivel castors for maximum mobility under the vehicle
- Weight: 27.5 kg

**V6029/2**EAN 4047728**089906****Mechanical manoeuvring aid set**


- Ideal for moving vehicles in confined workshop spaces or vehicles that are not roadworthy
- 680 kg loading capacity per manoeuvring aid
- 360° swivel castors for maximum manoeuvrability
- Ideal for precise positioning of passenger cars without starting the engine

**2**


VIGOR No.	Designation	kg	EAN
V6029-68	Mechanical manoeuvring aid	19	088985

V6031-3.0EAN 4047728**089012****Jack stand set · 3 t**


- Ideal for maintenance, repair and extended service life
- Locking mechanism for secure height adjustment with safety pin
- Wide feet for high stability on workshop floors
- Weight: 4.9 kg

**2****V6031-6.0**EAN 4047728**089005****Jack stand set · 6 t**

- Precise locking mechanism for quick and secure height adjustment
- Wide, reinforced base frame for maximum stability
- Ideal for SUVs, vans and heavy commercial vehicles
- Weight: 14 kg

**2****V6029-6.0**EAN 4047728**089029****Bottle jack · 6 t**

- Powerful hydraulic system for fast lifting
- Large, stable base plate for balanced position
- Ideal for passenger cars, SUVs, vans and light commercial vehicles
- Weight: 4.3 kg



V7550

EAN 4047728087704

Walnut blasting machine

- Reliably removes stubborn and baked-on residues such as soot, oil carbon and other deposits from inlet ducts, intake tract, combustion chamber and EGR systems – without chemicals or mechanical damage
- Gentle cleaning without risk to valve seats, aluminium parts or sensitive sealing surfaces
- Thanks to the powerful extraction system, it is often possible to clean affected components without prior removal
- Walnut shell granulate as a blasting material – a biodegradable, non-abrasive material that does not damage sensitive surfaces
- A filter function/strainer separates coarse deposits from the blasting material. Blasting material can be reused several times.
- Compressed air operation, recommended working pressure 6.3 bar
- With straight and curved lance in solid aluminium spray gun; for accessing hard-to-reach areas
- Extensive range of accessory adapters for almost all intake ducts
- Suction hose length: 2.5 m
- Blasting material hose length: 2 m
- 220 V voltage supply, cable length: 3 m
- Including 5 kg of blasting agent upon delivery

Practical storage of all accessories on the back of the device!

VIGOR No.	Designation	EAN 4047728+
V7550-1.2	Adapter set · 24 pieces	091398
V7550-2	Replacement castor	090179
V7550-3	Suction switch	090186
V7550-4	Suction unit	090193
V7550-5	Replacement hose · 2.5 m	090209
V7550-6	Connecting hoses from the container to the gun	090216
V7550-7	Blast gun · single	090223
V7550-8	Blast nozzle set · 3-piece	090308
V7550-9	Dirt strainer	090230
V7550-11	Curved adapter 35 mm and 45 mm	090292
V7550-12	Dirt filter	090445





*Extremely high
suction power
of 1600 W!*



31

**V7550-10**

EAN 4047728088633

Walnut blasting material · 10 l

- Walnut blasting material with a grain size of 800 µm
- Suitable for walnut blasting machine V7550
- Walnut shells for chemically neutral surface treatment
- Minimises dust formation during blasting



V7523
EAN 4047728093422

Petrol injection nozzle cleaner and tester

The professional solution for cleaning, testing and diagnosing petrol injection nozzles. With the latest ultrasonic technology and precise simulation of real engine operating states, allows the device to quickly analyse flow rate, injection pattern and leaktightness. Suitable for standard, EFI, FSI and GDI injection nozzles – ideal for workshop and service businesses.

- For up to 4 injection nozzles at the same time
- Powerful ultrasonic cleaning to remove deposits
- Includes adapters for common GDI, EFI, FSI and standard injection nozzles
- 3 test voltages: 12 V / 70 V / 120 V
- Flow, leaktightness and injection pattern check
- Backwash function for effective internal cleaning
- Easy-to-read LCD display
- Simulation of different engine operating states for precise test results



Available from the beginning of October 2026!


V7523-1
EAN 4047728093811

Test fluid

- 1 litre


V7523-2
EAN 4047728093828

Cleaning fluid

- 5 litres



Professional injection nozzle diagnosis and cleaning for maximum engine power and optimal fuel efficiency!

New

63

V4941N

EAN 4047728077293

Injector sealing seat cleaning set

- Professional cleaning of the injector shaft, the injector tip and nozzle pin opening
- Eliminating soot residues, particles on HDi, diesel direct injection and common rail engines with Bosch and Delphi injectors
- Including sealing plug for protection against combustion chamber contamination
- Centring crowns for accurate guiding
- Application areas: **MERCEDES-BENZ** CDI engines, Bosch / Delphi injectors (**BMW · RENAULT · FORD · FIAT · IVECO**)



23


Induction heater · 1.5 kW

- Precise, targeted heating within a few seconds thanks to state-of-the-art microprocessor technology
- No open flame, no risk to hoses, cables or plastic parts
- Convenient pistol grip with LEDs to indicate the operating status and illuminate the work area
- Quick and easy loosening of tight connections by heating via induction
- Versatile use thanks to an extensive range of standard accessories
- Fixed coils: Heating of pipes, bolts, profiles
- Flexible coils: For loosening parts that are difficult to access using special winding wire
- Flat coil for heating the car body and sheet metal, makes it easier to remove stickers, sealants etc.
- 1.5 kW output
- 3 m connecting cable, 220 V
- Hose set length: 850 mm
- Storage of the handy device in a sturdy plastic case



- Including coil ①, ②, ③, ④, for almost all application fields
- Extra-long hose set 850 mm
- Pistol grip for more comfortable use



	VIGOR No.	Designation	EAN 4047728+
①	V4891N-1	Fixed coil · 19 mm · M8	088527
②	V4891N-2	Flexible coil · 750 mm	088626
③	V4891N-3	Fixed coil · 26 mm · M12	088619
④	V4891N-4	Flat coil · Ø inside 24 mm	088602
⑤	V4891N-5	Focus coil · for precise heating	088589
⑥	V4891N-6	Fixed coil · 15 mm · M6	088596
⑦	V4891N-7	Fixed coil · 45 mm · M22	088572
⑧	V4891N-8	Flexible coil · ceramic protection	088558
⑨	V4891N-9	Fixed coil · lateral 45 mm · M22	088565
⑩	V4891N-10	Fixed coil · lateral 23 mm · M10	088534




V4891-3.7EAN 4047728**088039****3.7**
kW**Induction heater · 3.7 kW**

- Precise, fast heating of components
- Powerful 3.7 kW variant for motor vehicle and commercial vehicle applications
- No open flame, no risk to hoses, cables or plastic parts
- Mobile use thanks to compact design with enormous power
- Extra-long, well-protected hose set of 3.0 m
- Water cooling with 1.5 litre volume
- Delivery includes coolant
- Additional fan for cooling the agent
- Output power can be precisely adjusted for the application field
- 3.7 kW output



• Extra-long hose set
including robust insulation

• Including 35° angled coil –
Total length of the coil 500 mm



	VIGOR No.	Designation	EAN 4047728+
①	V4891-3.7-1	Focus coil · curved 500 mm	088510
②	V4891-3.7-2	Coil 90° angular · surface coil	088503
③	V4891-3.7-3	Cooling fluid 5 litres	088459
④	V4891-3.7-5	Round coil · Ø 20 mm	088497
⑤	V4891-3.7-6	Round coil · Ø 60 mm	088480
⑥	V4891-3.7-7	Round coil · Ø 100 mm	088466



Magnetic mat set for tool trolleys



Magnetic mat set

- Exact-fit magnetic mat for customising the tool trolley
- Mat set for back panel, high drawer and nameplate
- Additional protection against scratches or dirt
- Due to magnetic effect on rear side, no dirt accumulation
- For tool trolley series L XL XD



	VIGOR No.	Size mm	EAN 4047728+
①	V5500-L-1	650 x 820 & 590 x 120	093873
②	V5500-L-2		093866
③	V5500-L-3		093859



**Customise
your
tool trolley!**



Design 1



Design 2



Design 3



	VIGOR No.	Size mm	EAN 4047728+
①	V5500-XL-1	830 x 820 & 775 x 120	093880
②	V5500-XL-2		093897
③	V5500-XL-3		093903

V7026N-2

EAN 4047728085656

UNIVERSALO M Specialty tool assortment



V7201




Compact wheel bearing removal / installation set

- For removing and installing compact wheel bearings with or without circlip
- Adjustability enables use on all types of currently available and future compact wheel bearings

UNIVERSALO M



V2846



Pneumatic foot pump

- Design with manometer
- For all hydraulic cylinders
- Working pressure: 700 bar
- Hose length: 2.2 m
- Oil tank: 1.3 l



V4906N



Standard wheel bearing removal / installation set

- New effective method for removing wheel hubs; the use of the wheel bearing set V4598 is recommended here.
- The set also functions with steering knuckles with uneven and limited surfaces
- Mounting washers with Ø 62 – 83 mm and support discs with Ø 34 – 60 mm are included, the bearing shell is suitable for wheel bearings of up to a Ø of 92 mm



V5549-1N



Compact wheel bearing expansion set

- Set contains 4 extensions:
 1. Disassembly feet for bolted compact wheel bearings (3 bolts)
 2. Disassembly feet for bolted compact wheel bearings (4 bolts)
 3. Removal unit of the wheel hub without prior removal of the drive shaft
 4. Removal unit of the screwed wheel bearing without prior removal of the drive shaft
- Especially for expanding and completing compact wheel bearing sets

V6395



Including container for storing the pump



V5009



2x



V4904




Set of devices for the removal of drive shafts

- For passenger cars with T4 and 5-hole wheel hubs due to oval holes for wheel bolts
- Avoids damage to the drive shaft and surrounding parts, as heating is no longer necessary



V7071





V7201

Compact wheel bearing removal / installation set

- For removing and installing compact wheel bearings with or without circlip
- Adjustability enables use on all types of currently available and future compact wheel bearings



UNIVER



Installation



Removal



V4906N

Standard wheel bearing removal / installation set

- New effective method for removing wheel hubs; the use of the wheel bearing set V4598 is recommended here. The set also functions with steering knuckles with uneven and limited surfaces
- Allows the wheel bearings to be changed directly on the vehicle with minimum effort
- Mounting washers with $\varnothing 62 - 83$ mm and support discs $\varnothing 34 - 60$ mm are included, the bearing shell is suitable for wheel bearings of up to a $\varnothing$ of 92 mm



V5549-1N

Compact wheel bearing expansion set

- Set contains 4 expansions:
 1. Disassembly feet for screwed compact wheel bearings (3 bolts)
 2. Disassembly feet for screwed compact wheel bearings (4 bolts)
 3. Disassembly unit of the wheel hub without prior removal of the drive shaft
 4. Disassembly unit of the screwed wheel bearing without prior removal of the drive shaft
- Especially for expanding and completing compact wheel bearing sets
- In conjunction with the V4680 base unit, all compact wheel bearings available on the market can be removed / installed



Screwed wheel bearing units – 3 bolts



Screwed wheel bearing units – 4 bolts



Removal of the wheel hub without removing the drive shaft



Removal of the wheel bearing without removing the drive shaft



V7722N

Press frame expansion set

- Set contains:
 - 14 t compressive hydraulic cylinder including thrust rod M 24
 - Support set 275 mm
 - Open plate including screws M 16 x 40 mm



V7723

Drawbar expansion set

- Universal expansion for 18 t and 22 t hydraulic cylinder
- Spindle set makes it possible to remove and insert even more bushings and bearings with various inside diameters
- Set contains:
 - Adapters: M 22 – M 10 · M 22 – M 12 · M 22 – M 14 · M 18 – M 22
 - 4 drawbars including flange nuts: M 10 x 1.5 · M 12 x 1.75 · M 14 x 2.0 · M 20 x 2.5
 - Striker nut M 18



SALO L



V5741N

Rear axle longitudinal control arm · silent block FORD, MAZDA, Volvo

- For changing the bushing of the front longitudinal strut in the rear area and for changing the rear axle bushings
- Bushing and press frame can withstand loads of up to 22 tonnes



VIGOR
SERIES **XL**

V7030-2

EAN 4047728077323

UNIVERSALO L Specialty tool assortment

141



» **Now even
more fields of
application!**

Pressure sleeve set

- Including 24 pressure pieces of different sizes
- Sleeves with small diameters are reversible
- Adapter and pressure shaft enable application of the press frame V2885 – useful when removing or installing bushings and supporting joints without holes



V5066



V2846




V6395

Incl. container for
storing the pump.

Pneumatic foot pump

- Design with manometer
- For all hydraulic cylinders
- Working pressure: 700 bar
- Hose length: 2.2 m
- Oil tank: 1.3 l



700 bar

1.3 l

2.2 m

Ball joint ejector

- Set for universal removal of ball joints with 4.5 t compressive force
- Contains hydraulic unit V5916 and expansions V5916-1 and V5916-2
- V5916-1: Pressing out ball joints as well as steering tie rod ends, with bolts instead of nut threaded connections on the cone axis
- V5916-2: For ball joint pins with a length over 72 mm



V7724



V5916

Set of devices for the removal of drive shafts

- For passenger cars with T4 and 5-hole wheel hubs due to oval holes for wheel bolts
- Avoids damage to the drive shaft and surrounding parts, as heating is no longer necessary



V4904



V7030-XL

EAN 4047728091220

Drawer 1 • flat



V8366-XL • Expansion set

- Compact wheel bearing unit for Sprinter Crafter with closed wheel hub, Sprinter now also available with up to 5-tonne approval!
- 14-piece set for pulling in drive shafts with outside and inside threads in vehicles where the drive shaft is difficult to pull through the wheel hub
- The centering sleeve set enables the guided and tilt-free installation of compact wheel bearings
- Pressure sleeve set with Ø of 28.6 – 43.6 mm



UNIVERS
Specialty tools

Drawer 2



V7201 • Compact wheel bearing removal/installation tool set • universal

- For removing and installing compact wheel bearings with or without circlip
- Adjustability enables use on all types of currently available and future compact wheel bearings



V7724-XL • Ejector for ball joints and clamping screw of the VAG 4-link axle

- New expansion for V5916 for the quick and efficient removal of the clamping screw of the VAG 4-link axle
- Removal of ball joints and steering tie rod ends with bolts instead of nut threaded connections on the cone axis
- For ball joint pins with a length over 72 mm



V4906N-XL • Standard wheel bearing removal / installation set

- New adjustable bushing for diameters of 68 and 130 mm on SUVs, electric vehicles and transport vehicles
- Removal / mounting washer for bearing with Ø of 62 – 95 mm
- Support discs with Ø of 34 – 60 mm
- Circlip tool for inside circlips, clamping range 5 – 95 mm



Drawer 3



V7261-XL • Expansion for transport vehicles and ball joints

- Short pressure sleeve set for C-press frame, height 46– 58 mm, Ø 34 – 79 mm
- Wheel hub puller (6 hole) 111.5 – 142.5 mm, (8 hole) 162.5 – 182.5 mm
- Drive shaft removal bolt circle (6 hole) 114 – 140 mm, (8 hole) 165 to 180 mm
- Remove screwed wheel bearings with 3/4 bolts for SUV and US pickups, up to 180 mm wheel hub



Pneumatic foot pump

- Design with manometer
- For all hydraulic cylinders
- Working pressure: 700 bar
- Hose length: 2.2 m
- Oil tank: 1.3 l



Container

- Including container for storing the pump



Pull-handle

- Easy manoeuvring of work benches

SALO XL Tool assortment

VIGOR
SERIES **XL**

Drawer 4



V4904 · Set of devices for the removal of drive shafts

- For passenger cars with T4 and 5-hole wheel hubs due to oval holes for wheel bolts
- Avoids damage to the drive shaft and surrounding parts, as heating is no longer necessary



V5550 · Expansion set for compact wheel bearings and wheel hubs

- Removal / installation of all currently known wheel bearings (together with compact wheel bearing removal and installation set V4680)
- Additional pressure feet for the removal of screwed wheel bearing units (3 and 4 bolts) at the front and rear axle **VAG · OPEL/VAUXHALL** etc.
- Expansion set e.g. for V4680
- Adjustability guarantees use on all bolted wheel bearing units currently available on the market with 3 and 4 bolts



V7723 · Spindle set

- Universal expansion for 18 t and 22 t hydraulic cylinder
- Spindle set makes it possible to remove and insert bushings and bearings with various inside diameters

Drawer 5



V5066 · Pressure sleeve set

- Including 24 pressure pieces of different sizes
- Sleeves with small diameters are reversible
- Adapter and pressure shaft enable application of the press frame V2885—useful when removing or installing bushings and supporting joints without holes



V5741 · Rear axle longitudinal control arm · silent block FORD, MAZDA, Volvo

- For changing the bushing of the front longitudinal strut in the rear area and for changing the rear axle bushings
- Bushing and press frame can withstand loads of up to 22 tonnes




V7722N · Press frame expansion set

- Set contains:
 - 14 t compressive hydraulic cylinder including thrust rod M 24
 - Support set 275 mm
 - Open plate including screws M 16 x 40 mm



700 bar 1.31 2.2 m



V5554-2
EAN 4047728069021


Compact wheel bearing removal / installation set

- For removing and installing compact wheel bearings with or without circlip
- Use with hydraulic cylinder, mechanical spindle or workshop press
- Max. load: 22 t
- For e.g.:
 - **VOLKSWAGEN:** Polo, Lupo, Touareg, Fox, T5 front and rear, Crafter
 - **AUDI:** A2
 - **SEAT:** Ibiza, Córdoba
 - **ŠKODA:** Fabia, Rapid, Roomster
 - **FORD:** Focus, C-Max, Mondeo, S-Max, Kuga, etc.



- 700 bar
- 1.3 l
- 2.2 m
- Design with manometer
- Non-drip quick coupling
- For all hydraulic cylinders

VIGOR No.	XX	Designation	EAN
V4680	16	Compact wheel bearing set · without pump and cylinder	046800

28
V5128-2
EAN 4047728085663


Standard wheel bearing / wheel hub removal / installation set

- Effective method for removing wheel hubs
- Significant time savings compared to earlier systems
- Together with hydraulic cylinder or manual spindle
- Allows the wheel bearings to be changed directly on the vehicle with minimum time required
- No removal of ABS sensors, steering knuckles, spring struts or steering tie rods
- Wheel alignment and brake bleeding not necessary
- All parts are adapted for the wheel bearing sizes currently found on the market
- Mounting washers have a guide and are usable on both sides
- Mounting washers with Ø 62 – 83 mm and hub discs Ø 34 – 60 mm are included, the bearing shell is suitable for wheel bearings up to 94 mm in diameter




- 700 bar
- 1.3 l
- 2.2 m
- Design with manometer
- Non-drip quick coupling
- For all hydraulic cylinders

VIGOR No.	XX	Designation	EAN
V5128	23	Standard wheel bearing set · without pump and cylinder	051286

36
V5067-2
EAN 4047728093972


Bush starter set

- For professional removal and installation of bushes, bearings and supporting joints
- The set combines the 26-piece pressure sleeve set V5066 with 24 press pieces, one 22-tonne hydraulic cylinder V2854, as well as the 13-piece spindle set V7723, including pump
- For universal expansion for various inside diameters
- Practically stored in two robust multiboxes V4700-L


2x


- 700 bar
- 1.3 l
- 2.2 m
- Design with manometer
- Non-drip quick coupling
- For all hydraulic cylinders

Mobile, clear and ideal for workshop use!


VIGOR No.	XX	Designation	EAN
V5067	52	Bush starter set - without pump	093842

53


V5168-2
EAN 4047728085618

Set of devices for the removal of drive shafts

- Including multibox
- For removing rusted and stuck drive shafts directly on the vehicle
- Working time only approx. 5 minutes
- For all passenger cars with 4- and 5-hole wheel hubs due to countersunk slotted holes for wheel bolts
- Prevents heating of or damage to the drive shaft or damage to other parts
- Application: screw together the hub with wheel bolts of the vehicle, press out drive shaft with 18-tonne or 22-tonne hydraulic cylinder (assembly of the impact body allows for additional force to be applied by using a hammer), extraction of the wheel hub with a sliding hammer V2922 and adapter V2872



- Design with manometer
- Non-drip quick coupling
- For all hydraulic cylinders



VIGOR No.	XX	Designation	EAN 4047728+	15
V5168	12	Drive shaft extraction device set · without pump	051682	

V5916
EAN 4047728059817

Ball joint ejector

- For the hydraulic removal of the ball joint pivots on steering tie rods as well as stabilisers with a maximum compressive force of 4.5 tonnes



4.5t


2
V5919
EAN 4047728090612


Expansion set for VAG wishbone clamping screw

- Expansion for V5916 for the quick and efficient removal of the clamping screw of the VAG 4-link axle


13
V7724-XL
EAN 4047728090995

Ejector for ball joints and clamping screw of the VAG 4-link axle


- Set contains ejector for ball joint V5916 and the expansions V5919, C5916-1 and V5916-2


17

V4476N/2
EAN 4047728084512

Hydraulic spring vice including hydraulic foot pump

- Can be used for almost any strut and shock absorber in passenger cars as well as lightweight vans
- By gripping the springs within the spring windings any possible awkward parts on the shock absorber are irrelevant and have no influence on the operation of the spring vice
- Tripod with included castors enables stowing and mobile work with the spring vice



700 bar 0.75 l 2.2 m

- Non-drip quick coupling
- For all hydraulic cylinders

17

VIGOR No.		Designation	EAN
V4476N	16	Hydraulic spring vice · without hydraulic foot pump	068000

Including 10 spring plates

Ø 70 – 160 mm



Ø 150 – 240 mm



Ø 150 – 240 mm




① Pre-tensioning the spring



② Tensioning the spring



③ Support device



Take a look!



2.1t

V4351
EAN 4047728090544

Spring plate for strut bearings with bolts

- Provides a tight, secure hold for strut bearings with stud bolts. Especially for spring struts with few screw threads, where it is not possible to tension them sufficiently between the coils



2

V4476N-H
EAN 4047728090551

Accessory · spring vice bracket

- Accessory holder for article V4476N
- Holds all spring plates in a secure and neat arrangement



Your VIGOR specialist dealer:



VIGOR GmbH · Am Langen Siepen 13–15 · 42857 Remscheid · GERMANY
www.vigor-equipment.com · info@vigor-equipment.com

EINFACH VIGOR.